

**American Housing Survey - Selected Elements Related to Healthy Homes  
2007 Baltimore, MD and 2007 National**

**National statistic only reported if Metropolitan Statistical Area (MSA) is  $\geq 20\%$ (relative) and 0.25% (absolute) different from national (otherwise "-" is listed).**

Characteristic	Occupied		Owner Occupied		Rental		Severe Problems		Moderate Problems		Below Poverty		Central City		
	MSA	National	MSA	National	MSA	National	MSA	National	MSA	National	MSA	National	MSA	National	
Total Occupied Units(,000)	1,012	110,692	722	75,647	291	35,045	18	1,806	27	3,965	101	14,159	241	31,451	
<b>GENERAL</b>															
Owner occupied(,000)		75,647		75,647		.		729		1,565		5,568		16,315	
Renter occupied(,000)		35,045		.		35,045		1,077		2,401		8,591		15,136	
Owner occupied		68.3%		100%		<0.1%		40.4%		39.5%		39.3%		51.9%	
Renter occupied		31.7%		<0.1%		100%		59.6%		60.5%		60.7%		48.1%	
<b>Units in Structure</b>															
1, detached	51.7%	64.5%	67.3%	82.6%	13.0%	25.5%	34.2%	43.4%	32.0%	45.3%	27.7%	41.2%	22.1%	49.4%	
1, attached	26.7%	5.5%	26.7%	5.3%	26.5%	5.8%	27.8%	5.7%	31.4%	3.0%	29.1%	5.4%	48.9%	7.3%	
2 to 4	3.9%	7.9%	0.6%	1.9%	11.9%	21.0%	15.8%	-	12.8%	15.9%	11.1%	14.4%	9.4%	13.5%	
5 to 9	3.8%	4.6%	0.6%	-	11.8%	-	<0.1%	7.6%	10.2%	-	6.6%	9.4%	4.2%	7.5%	
10 to 19	7.2%	4.2%	0.9%	0.6%	23.0%	12.1%	15.7%	8.7%	8.2%	-	7.8%	6.1%	5.6%	-	
20 to 49	0.8%	3.3%	0.3%	0.7%	2.1%	9.1%	3.1%	7.7%	2.2%	7.4%	1.8%	6.4%	0.2%	6.3%	
50 or more	4.0%	-	1.1%	-	11.4%	-	3.4%	7.5%	3.2%	5.8%	9.9%	7.0%	9.6%	-	
Manufactured /mobile home or trailer	1.8%	6.3%	2.4%	7.2%	0.3%	4.3%	<0.1%	6.2%	<0.1%	5.4%	6.2%	10.1%	<0.1%	1.3%	
<b>Year Structure Built</b>															
Post-2000	6.2%	10.6%	7.6%	12.3%	2.8%	6.8%	<0.1%	3.9%	<0.1%	3.8%	2.5%	6.1%	1.8%	5.6%	
Post-1980	34.8%	-	40.2%	-	21.3%	28.3%	9.5%	19.0%	7.6%	20.0%	25.4%	-	8.2%	23.0%	
Pre-1980	65.2%	-	59.8%	-	78.7%	-	90.5%	-	92.4%	-	74.6%	-	91.8%	-	
Pre-1960	36.0%	-	35.2%	-	38.0%	-	58.8%	-	58.6%	-	48.1%	37.3%	74.3%	45.5%	
Pre-1940	14.4%	-	13.5%	-	16.7%	-	17.1%	27.8%	21.5%	28.1%	23.8%	-	38.3%	24.6%	

<i>Characteristic</i>	<i>Occupied</i>		<i>Owner Occupied</i>		<i>Rental</i>		<i>Severe Problems</i>		<i>Moderate Problems</i>		<i>Below Poverty</i>		<i>Central City</i>	
	<i>MSA</i>	<i>National</i>	<i>MSA</i>	<i>National</i>	<i>MSA</i>	<i>National</i>	<i>MSA</i>	<i>National</i>	<i>MSA</i>	<i>National</i>	<i>MSA</i>	<i>National</i>	<i>MSA</i>	<i>National</i>
Foundation (for 1-unit not manufactured)														
1-Unit not manufactured(,000)	794	77,517	679	66,554	115	10,963	11	887	17	1,916	57	6,602	171	17,830
With a basement under all of house	68.9%	33.1%	71.5%	34.6%	53.0%	24.1%	70.8%	31.3%	55.6%	15.8%	65.5%	26.9%	80.6%	32.8%
With a basement under part of house	12.5%	-	13.2%	-	8.5%	-	15.2%	10.7%	22.6%	10.4%	10.8%	8.1%	10.7%	8.1%
With a crawl space	5.9%	23.3%	5.4%	22.5%	9.1%	28.8%	<0.1%	30.9%	3.0%	48.5%	6.7%	29.7%	1.1%	22.0%
On a concrete slab	11.7%	31.5%	9.2%	30.4%	26.5%	38.1%	9.6%	24.2%	15.7%	20.6%	16.6%	32.7%	7.2%	35.9%
In some other way	1.0%	1.4%	0.7%	1.3%	2.9%	2.0%	4.4%	3.0%	3.2%	4.7%	0.5%	2.7%	0.5%	1.2%
<hr/>														
<b>EXTERIOR</b>														
External Building Conditions(non multiunit)														
Sagging roof	2.3%	-	2.1%	-	3.2%	4.5%	12.2%	8.4%	17.0%	-	3.5%	5.1%	4.6%	2.7%
Missing roofing material	4.2%	-	4.0%	-	5.5%	-	17.0%	11.3%	10.7%	15.9%	8.1%	-	4.6%	-
Hole in roof	1.5%	-	1.5%	-	1.6%	3.4%	17.0%	10.9%	13.8%	-	5.2%	3.4%	3.9%	2.1%
Missing bricks, siding, other outside wall material	2.7%	-	2.4%	-	4.8%	-	12.2%	-	15.2%	-	4.2%	5.6%	4.8%	3.0%
Sloping outside walls	1.0%	1.4%	0.9%	-	1.5%	3.6%	5.8%	8.5%	6.6%	9.0%	2.5%	3.1%	1.7%	-
Boarded up windows	0.7%	1.0%	0.4%	0.8%	2.5%	-	<0.1%	5.6%	7.0%	-	2.0%	3.1%	2.1%	1.5%
Broken windows	3.0%	-	2.2%	2.9%	7.8%	-	<0.1%	15.5%	10.4%	15.4%	9.7%	-	5.6%	4.3%
Bars on windows	7.3%	3.7%	7.0%	3.4%	8.8%	5.0%	27.4%	6.4%	18.7%	9.1%	11.0%	6.5%	24.5%	10.2%
Foundation crumbling or has open crack or hole	2.8%	-	2.5%	-	4.5%	-	12.2%	8.7%	20.0%	12.8%	4.0%	-	5.6%	3.4%
None of the above	79.5%	-	80.9%	-	70.7%	-	58.2%	-	29.1%	53.3%	66.2%	-	60.7%	75.0%
None of the above(excluding bars)	85.2%	-	86.4%	-	77.9%	-	74.2%	-	40.3%	57.2%	74.7%	-	79.8%	-
Water Leakage During Last 12 Months														

<i>Characteristic</i>	<i>Occupied</i>		<i>Owner Occupied</i>		<i>Rental</i>		<i>Severe Problems</i>		<i>Moderate Problems</i>		<i>Below Poverty</i>		<i>Central City</i>	
	<i>MSA</i>	<i>National</i>	<i>MSA</i>	<i>National</i>	<i>MSA</i>	<i>National</i>	<i>MSA</i>	<i>National</i>	<i>MSA</i>	<i>National</i>	<i>MSA</i>	<i>National</i>	<i>MSA</i>	<i>National</i>
With leakage from outside structure	14.1%	10.4%	15.2%	10.9%	11.4%	-	43.0%	19.0%	64.0%	28.1%	12.3%	9.8%	18.4%	10.8%
Roof	6.0%	-	6.0%	-	5.8%	4.6%	29.6%	11.8%	41.6%	19.2%	6.9%	5.4%	9.0%	5.1%
Basement leak	5.9%	3.8%	7.4%	4.6%	2.0%	-	16.2%	4.4%	38.8%	7.3%	2.7%	-	7.6%	3.6%
Walls, closed windows, or doors leak	3.0%	1.8%	2.9%	1.5%	3.5%	2.5%	18.5%	6.2%	34.7%	7.4%	2.5%	-	3.5%	2.2%
Other or Unknown exterior Leak	1.7%	1.1%	1.9%	1.1%	1.5%	-	9.9%	1.9%	15.3%	3.3%	2.0%	1.1%	2.6%	1.4%
<hr/>														
<b>INTERIOR</b>														
<b>Damage</b>														
Holes in floors	1.1%	-	0.8%	-	1.7%	-	20.7%	8.7%	16.5%	9.7%	3.9%	2.7%	2.5%	1.4%
Open cracks or holes	6.3%	4.8%	5.0%	3.7%	9.3%	7.2%	36.6%	19.1%	58.1%	31.3%	12.7%	8.0%	12.3%	6.4%
Broken plaster or peeling paint	3.1%	2.0%	2.3%	1.4%	4.9%	3.2%	17.5%	10.4%	33.7%	19.3%	5.8%	3.7%	6.7%	3.1%
<hr/>														
<b>Water Leakage During Last 12 Months</b>														
With leakage from inside structure	12.0%	8.0%	10.2%	6.7%	16.4%	10.8%	33.7%	17.6%	53.0%	25.5%	17.9%	10.2%	15.0%	9.1%
Fixtures backed up or overflowed	2.9%	2.2%	2.5%	1.8%	4.0%	3.0%	9.8%	5.1%	27.1%	8.9%	6.1%	3.0%	5.6%	2.6%
Pipes leaked	5.3%	3.6%	4.6%	2.9%	6.9%	5.1%	24.0%	10.0%	29.3%	13.4%	8.6%	5.0%	7.5%	4.0%
Broken water heater	1.4%	0.8%	1.2%	0.8%	1.8%	0.9%	10.2%	1.3%	4.1%	2.4%	1.6%	0.8%	1.5%	0.7%
Other or Unknown	3.9%	2.1%	2.9%	1.7%	6.6%	3.0%	12.7%	5.0%	25.8%	8.3%	5.1%	2.5%	3.5%	2.7%
<hr/>														
<b>Rodents</b>														
Signs of rats in last 3 mon.	0.5%	-	0.3%	0.6%	1.3%	-	6.2%	-	<0.1%	3.7%	0.8%	1.6%	1.8%	1.2%
Signs of mice in last 3 mon.	12.8%	5.5%	9.5%	5.3%	21.1%	6.0%	43.4%	12.8%	30.5%	12.5%	27.2%	8.2%	32.2%	5.6%

<i>Characteristic</i>	<i>Occupied</i>		<i>Owner Occupied</i>		<i>Rental</i>		<i>Severe Problems</i>		<i>Moderate Problems</i>		<i>Below Poverty</i>		<i>Central City</i>	
	<i>MSA</i>	<i>National</i>	<i>MSA</i>	<i>National</i>	<i>MSA</i>	<i>National</i>	<i>MSA</i>	<i>National</i>	<i>MSA</i>	<i>National</i>	<i>MSA</i>	<i>National</i>	<i>MSA</i>	<i>National</i>
Signs of rodents, not sure which kind in last 3 mon.	0.5%	-	0.2%	-	1.0%	0.7%	<0.1%	3.0%	3.2%	1.5%	0.8%	-	1.5%	0.7%
<hr/>														
<b>Electrical</b>														
No electrical wiring	<0.1%	-	<0.1%	0.1%	<0.1%	-	<0.1%	2.4%	<0.1%	0.0%	<0.1%	0.1%	<0.1%	-
Exposed wiring	0.7%	1.0%	0.7%	-	0.7%	1.4%	<0.1%	3.0%	1.9%	-	1.7%	-	<0.1%	1.2%
Rooms without electric outlets	0.9%	1.3%	0.3%	1.1%	2.4%	1.8%	10.0%	7.8%	4.6%	3.1%	2.4%	-	1.7%	-
Fuses/breakers blown in last 3 mon.	13.5%	9.2%	14.0%	9.2%	12.3%	9.2%	13.5%	-	23.1%	15.9%	8.9%	-	14.1%	9.7%
<hr/>														
<b>Sanitation</b>														
Lacking complete kitchen facilities	0.8%	1.6%	0.2%	-	2.4%	4.1%	<0.1%	8.9%	29.7%	39.4%	0.6%	3.6%	0.7%	2.8%
Lacking some or all plumbing facilities	0.9%	-	0.9%	-	1.2%	2.0%	51.9%	69.7%	<0.1%	0.0%	1.8%	2.4%	1.0%	1.7%
Water not safe to drink	5.5%	8.1%	4.8%	6.5%	7.2%	11.6%	13.0%	-	13.1%	-	6.3%	11.5%	6.2%	10.0%
Water stoppage in last 3 mon.	5.8%	3.4%	5.3%	2.9%	7.0%	4.7%	29.6%	8.9%	14.1%	6.3%	8.8%	3.9%	4.8%	3.4%
No flush toilets working some time in last 3 mon.	2.5%	2.0%	1.7%	1.1%	4.5%	-	13.6%	7.4%	15.5%	9.9%	4.0%	-	4.7%	2.6%
With sewage disposal breakdowns in last 3 mon.	1.8%	1.3%	1.6%	1.1%	2.2%	1.7%	6.8%	3.9%	6.6%	3.9%	0.5%	1.7%	2.3%	1.5%
Septic tank, cesspool, chemical toilet	13.5%	20.0%	17.2%	25.8%	4.5%	7.6%	6.5%	15.1%	7.6%	17.6%	6.6%	14.7%	<0.1%	1.2%
With septic tank or cesspool breakdowns in last 3 mon.	0.2%	-	0.3%	-	<0.1%	0.2%	<0.1%	1.3%	<0.1%	0.3%	<0.1%	0.3%	<0.1%	-
<hr/>														
<b>HEATING/FUEL</b>														
<b>Main Heating Equipment</b>														
Warm-air furnace	64.1%	-	62.4%	-	68.4%	53.2%	55.3%	-	62.8%	39.7%	59.6%	-	63.7%	-
Steam or hot water system	14.0%	-	14.3%	9.9%	13.2%	-	19.1%	-	19.1%	11.2%	22.7%	12.8%	28.0%	16.5%

<i>Characteristic</i>	<i>Occupied</i>		<i>Owner Occupied</i>		<i>Rental</i>		<i>Severe Problems</i>		<i>Moderate Problems</i>		<i>Below Poverty</i>		<i>Central City</i>	
	<i>MSA</i>	<i>National</i>	<i>MSA</i>	<i>National</i>	<i>MSA</i>	<i>National</i>	<i>MSA</i>	<i>National</i>	<i>MSA</i>	<i>National</i>	<i>MSA</i>	<i>National</i>	<i>MSA</i>	<i>National</i>
Electric heat pump	17.7%	11.7%	19.6%	12.6%	12.9%	9.8%	9.3%	7.3%	7.6%	4.5%	10.5%	-	3.6%	8.5%
Built-in electric units	2.1%	4.3%	1.9%	2.8%	2.5%	7.6%	6.7%	5.2%	2.0%	5.1%	2.7%	6.4%	1.5%	3.8%
Floor, wall, or other built-in hot air without ducts	1.3%	4.5%	1.1%	2.7%	1.8%	8.4%	3.4%	7.8%	4.4%	-	2.9%	6.7%	2.4%	6.4%
Room heaters with flue	0.3%	1.0%	0.1%	0.9%	0.8%	1.3%	<0.1%	2.0%	4.0%	1.4%	0.5%	1.9%	0.6%	-
Room heaters without flue	<0.1%	-	<0.1%	-	<0.1%	1.3%	<0.1%	2.8%	<0.1%	28.7%	<0.1%	2.5%	<0.1%	-
Portable electric heaters	0.1%	0.9%	0.1%	0.6%	0.2%	1.7%	3.4%	-	<0.1%	2.6%	<0.1%	1.8%	0.2%	1.3%
Stoves	0.2%	0.9%	0.3%	1.0%	<0.1%	0.4%	2.8%	-	<0.1%	0.7%	0.5%	1.1%	<0.1%	<0.1%
Fireplace with inserts	<0.1%	0.1%	<0.1%	0.2%	<0.1%	0.1%	<0.1%	0.1%	<0.1%	0.1%	<0.1%	0.1%	<0.1%	0.1%
Fireplace without inserts	<0.1%	-	<0.1%	0.1%	<0.1%	-	<0.1%	0.2%	<0.1%	0.1%	<0.1%	-	<0.1%	-
Other	<0.1%	0.4%	<0.1%	0.4%	0.1%	0.5%	<0.1%	0.4%	<0.1%	0.4%	<0.1%	0.9%	<0.1%	0.5%
No heating equipment	0.1%	0.4%	0.2%	-	<0.1%	0.7%	<0.1%	0.5%	<0.1%	0.6%	0.6%	-	<0.1%	0.7%
Cooking stove	<0.1%	0.1%	<0.1%	-	<0.1%	0.2%	<0.1%	0.6%	<0.1%	0.1%	<0.1%	0.2%	<0.1%	0.2%
<hr/>														
<b>Water Heating Fuel</b>														
Electricity	41.9%	-	43.6%	-	37.8%	-	40.0%	-	36.2%	-	33.8%	45.9%	18.8%	29.6%
Gas, LP/bottled gas	54.0%	-	51.8%	-	59.6%	-	53.5%	-	61.7%	-	62.2%	49.5%	79.1%	-
Fuel oil	4.0%	-	4.6%	-	2.6%	5.2%	6.5%	9.3%	2.1%	4.2%	4.0%	-	2.1%	5.7%
Kerosene or other liquid fuel	<0.1%	-	<0.1%	-	<0.1%	-	<0.1%	0.2%	<0.1%	0.1%	<0.1%	<0.1%	<0.1%	-
Other	<0.1%	-	0.1%	0.3%	<0.1%	0.1%	<0.1%	0.9%	<0.1%	0.1%	<0.1%	0.1%	<0.1%	0.2%
Clothes Dryer,(000)	810	88,506	687	71,443	124	17,063	7	912	14	2,265	50	8,133	140	20,153
Have Clothes Dryer	80.0%	-	95.1%	-	42.6%	-	40.9%	50.5%	52.7%	-	49.2%	-	57.8%	-
Electricity	77.3%	-	76.0%	-	84.2%	-	61.3%	75.6%	68.3%	84.3%	75.7%	-	63.2%	-
Gas, LP gas (liquid propane)	22.6%	-	23.9%	-	15.3%	-	38.7%	24.1%	31.7%	15.7%	23.2%	16.6%	36.8%	26.6%
Other	0.1%	-	0.1%	-	0.4%	0.1%	<0.1%	0.3%	<0.1%	<0.1%	1.1%	<0.1%	<0.1%	<0.1%

---

**Heating Problems**

<i>Characteristic</i>	<i>Occupied</i>		<i>Owner Occupied</i>		<i>Rental</i>		<i>Severe Problems</i>		<i>Moderate Problems</i>		<i>Below Poverty</i>		<i>Central City</i>	
	<i>MSA</i>	<i>National</i>	<i>MSA</i>	<i>National</i>	<i>MSA</i>	<i>National</i>	<i>MSA</i>	<i>National</i>	<i>MSA</i>	<i>National</i>	<i>MSA</i>	<i>National</i>	<i>MSA</i>	<i>National</i>
Uncomfortably cold for 24 hours or more last winter	11.6%	8.8%	10.5%	7.6%	14.4%	-	59.4%	40.0%	40.6%	18.9%	18.9%	13.4%	13.1%	9.5%
Heating equipment breakdowns	3.2%	2.4%	2.6%	2.0%	4.7%	3.3%	41.3%	29.6%	10.4%	3.5%	5.1%	3.8%	4.5%	3.1%
Other causes	8.4%	5.9%	8.2%	5.5%	8.7%	7.0%	20.7%	11.4%	33.9%	13.9%	13.0%	8.4%	8.7%	5.8%
Utility interruption	3.9%	2.4%	4.5%	2.8%	2.3%	1.7%	<0.1%	2.3%	10.2%	2.4%	2.3%	-	0.8%	1.3%
Inadequate heating capacity	1.4%	1.0%	1.1%	0.6%	2.2%	-	15.5%	4.5%	10.8%	4.1%	4.6%	2.0%	2.4%	1.6%
Inadequate insulation	1.9%	0.8%	1.5%	0.5%	3.1%	1.6%	15.5%	2.7%	20.6%	3.8%	5.8%	2.0%	3.5%	1.1%
Cost of heating	1.4%	0.9%	1.5%	0.9%	1.1%	-	15.5%	1.4%	13.5%	2.8%	3.3%	1.6%	2.7%	1.0%
Other	1.9%	1.4%	1.6%	1.1%	2.7%	1.9%	7.2%	3.4%	8.9%	3.7%	2.4%	-	3.3%	1.3%

---

SELECTED PHYSICAL PROBLEMS

Severe Physical Problems(,000)	18	1,806	8	729	10	1,077	18	1,806	.	.	4	469	8	755
Severe physical problems	1.7%	-	1.1%	-	3.3%	-	100%	-	.	.	3.5%	-	3.2%	2.4%
Plumbing	0.9%	-	0.8%	-	1.2%	2.0%	51.9%	69.7%	.	.	1.8%	2.3%	1.0%	1.7%
Heating	0.7%	-	0.2%	-	1.7%	0.9%	37.9%	25.6%	.	.	1.2%	0.8%	1.4%	0.6%
Electric	<0.1%	-	<0.1%	0.1%	<0.1%	-	<0.1%	2.7%	.	.	<0.1%	0.1%	<0.1%	-
Hallways	<0.1%	0.0%	<0.1%	0.0%	<0.1%	0.0%	<0.1%	0.0%	.	.	<0.1%	0.0%	<0.1%	0.0%
Upkeep	0.3%	-	0.2%	-	0.4%	-	14.5%	4.3%	.	.	1.3%	0.3%	1.1%	0.1%
Moderate Physical Problems(,000)	27	3,965	12	1,565	15	2,401	.	.	27	3,965	5	1,081	12	1,549
Moderate physical problems	2.6%	3.6%	1.7%	2.1%	5.1%	6.9%	.	.	100%	-	4.8%	7.6%	5.0%	-
Plumbing	0.2%	-	0.1%	-	0.4%	-	.	.	8.1%	4.7%	1.2%	0.3%	0.5%	0.2%
Heating	<0.1%	1.0%	<0.1%	1.0%	<0.1%	1.2%	.	.	<0.1%	28.7%	<0.1%	2.3%	<0.1%	0.8%
Upkeep	0.8%	1.4%	0.2%	-	2.4%	3.7%	.	.	29.7%	39.4%	0.6%	3.0%	0.7%	2.5%
Hallways	<0.1%	0.0%	<0.1%	0.0%	<0.1%	0.0%	.	.	<0.1%	0.0%	<0.1%	0.0%	<0.1%	0.0%
Kitchen	1.7%	1.1%	1.5%	0.7%	2.3%	-	.	.	64.1%	30.4%	3.0%	2.3%	3.8%	1.5%

---

---

<i>Characteristic</i>	<i>Occupied</i>		<i>Owner Occupied</i>		<i>Rental</i>		<i>Severe Problems</i>		<i>Moderate Problems</i>		<i>Below Poverty</i>		<i>Central City</i>	
	<i>MSA</i>	<i>National</i>	<i>MSA</i>	<i>National</i>	<i>MSA</i>	<i>National</i>	<i>MSA</i>	<i>National</i>	<i>MSA</i>	<i>National</i>	<i>MSA</i>	<i>National</i>	<i>MSA</i>	<i>National</i>
OVERALL OPINION OF STRUCTURE														
1(worst)	0.7%	-	0.2%	-	2.0%	1.2%	7.4%	4.2%	4.5%	2.7%	2.4%	1.7%	1.0%	-
2	0.2%	-	0.2%	-	0.2%	0.7%	<0.1%	2.0%	<0.1%	1.5%	<0.1%	0.5%	0.3%	-
3	0.5%	-	0.2%	-	1.0%	1.4%	3.1%	-	7.4%	3.3%	1.3%	-	1.0%	-
4	1.0%	-	0.7%	-	1.9%	-	7.8%	3.4%	<0.1%	4.0%	2.5%	2.0%	1.6%	-
5	5.0%	-	2.9%	-	10.2%	-	7.0%	11.2%	22.1%	12.5%	11.6%	-	9.3%	6.4%
6	5.0%	-	3.5%	-	8.6%	-	13.0%	8.4%	2.4%	8.9%	7.5%	-	9.4%	6.6%
7	14.5%	-	13.0%	-	18.3%	-	9.7%	13.8%	29.6%	15.3%	7.4%	14.1%	17.6%	-
8	31.1%	-	31.8%	-	29.4%	-	35.9%	25.6%	21.9%	-	22.1%	-	27.8%	-
9	15.7%	-	17.9%	-	10.3%	12.6%	2.9%	10.8%	<0.1%	9.6%	14.0%	-	10.4%	15.7%
10(best)	26.2%	-	29.6%	-	18.1%	-	13.2%	17.0%	12.1%	18.4%	31.1%	-	21.5%	-

---

See <http://nchh.org/Training/HealthyHomesTrainingCenter/AHSDData.aspx> for more info.