

**American Housing Survey - Selected Elements Related to Healthy Homes  
2011 Pittsburgh, PA and 2011 National**

**National statistic only reported if Metropolitan Statistical Area (MSA) is  $\geq 20\%$ (relative) and 0.25% (absolute) different from national (otherwise "-" is listed).**

Characteristic	Occupied		Owner Occupied		Rental		Severe Problems		Moderate Problems		Below Poverty		Central City	
	MSA	National	MSA	National	MSA	National	MSA	National	MSA	National	MSA	National	MSA	National
Total Occupied Units(,000)	996	114,907	692	76,091	304	38,816	15	2,103	34	4,126	133	16,060	166	33,161
<b>GENERAL</b>														
Owner occupied(,000)		76,091		76,091		.		907		1,568		6,166		16,552
Renter occupied(,000)		38,816		.		38,816		1,196		2,558		9,894		16,609
Owner occupied		66.2%		100%		<0.1%		43.1%		38.0%		38.4%		49.9%
Renter occupied		33.8%		<0.1%		100%		56.9%		62.0%		61.6%		50.1%
<hr/>														
<b>Units in Structure</b>														
1, detached	70.3%	-	88.9%	-	28.0%	-	70.6%	44.3%	35.1%	-	44.7%	-	47.0%	-
1, attached	7.3%	-	4.4%	5.4%	13.9%	6.8%	12.9%	5.1%	8.3%	3.4%	13.6%	6.1%	11.4%	7.9%
2 to 4	7.4%	-	1.0%	1.9%	22.1%	-	3.9%	14.8%	29.2%	17.8%	12.6%	-	17.3%	12.9%
5 to 9	3.5%	4.7%	<0.1%	0.8%	11.3%	-	1.2%	6.9%	13.0%	10.3%	6.6%	8.5%	8.2%	-
10 to 19	2.0%	4.4%	0.1%	0.7%	6.3%	11.6%	3.7%	8.1%	5.0%	7.3%	4.4%	6.9%	2.9%	6.5%
20 to 49	2.0%	3.2%	0.2%	0.5%	6.1%	8.5%	3.4%	6.5%	2.0%	6.9%	4.8%	5.8%	2.9%	6.1%
50 or more	3.4%	-	0.5%	1.0%	10.1%	-	4.2%	7.0%	2.8%	7.0%	8.5%	6.1%	10.4%	-
Manufactured /mobile home or trailer	4.1%	6.3%	4.9%	7.5%	2.1%	3.9%	<0.1%	7.4%	4.5%	7.8%	4.8%	10.3%	<0.1%	1.3%
<hr/>														
<b>Year Structure Built</b>														
Post-2000	3.9%	13.8%	4.6%	15.6%	2.4%	10.2%	<0.1%	5.0%	1.4%	4.4%	2.0%	9.3%	2.1%	10.9%
Post-1980	16.6%	38.7%	18.5%	42.1%	12.2%	32.2%	18.4%	-	5.2%	22.4%	10.5%	31.1%	5.6%	27.7%
Pre-1980	83.4%	61.3%	81.5%	57.9%	87.8%	67.8%	81.6%	-	94.8%	-	89.5%	68.9%	94.4%	72.3%
Pre-1960	59.7%	30.9%	58.6%	29.5%	62.2%	33.4%	65.3%	47.2%	73.2%	45.7%	64.5%	34.6%	80.2%	42.7%
Pre-1940	33.3%	14.7%	28.5%	12.8%	44.3%	18.5%	52.6%	27.4%	58.3%	24.4%	45.2%	17.2%	66.1%	22.6%

<i>Characteristic</i>	<i>Occupied</i>		<i>Owner Occupied</i>		<i>Rental</i>		<i>Severe Problems</i>		<i>Moderate Problems</i>		<i>Below Poverty</i>		<i>Central City</i>	
	<i>MSA</i>	<i>National</i>	<i>MSA</i>	<i>National</i>	<i>MSA</i>	<i>National</i>	<i>MSA</i>	<i>National</i>	<i>MSA</i>	<i>National</i>	<i>MSA</i>	<i>National</i>	<i>MSA</i>	<i>National</i>
Foundation (for 1-unit not manufactured)														
1-Unit not manufactured(,000)	773	80,505	645	66,752	127	13,753	12	1,040	15	1,772	78	7,844	97	18,949
With a basement under all of house	73.9%	32.7%	74.9%	34.4%	68.9%	24.0%	75.4%	32.2%	93.8%	22.1%	71.5%	27.3%	79.2%	31.9%
With a basement under part of house	18.4%	10.6%	18.9%	11.3%	16.0%	7.2%	7.8%	-	5.2%	8.7%	12.5%	7.3%	18.0%	8.1%
With a crawl space	2.0%	22.1%	2.1%	21.4%	1.5%	25.3%	<0.1%	24.1%	<0.1%	40.2%	1.9%	25.9%	0.4%	20.2%
On a concrete slab	4.9%	33.1%	3.7%	31.5%	10.5%	41.1%	16.8%	29.7%	1.0%	23.7%	12.1%	36.4%	1.2%	38.2%
In some other way	0.8%	1.6%	0.4%	1.4%	3.1%	2.4%	<0.1%	6.1%	<0.1%	5.3%	2.0%	3.2%	1.3%	1.6%
<hr/>														
<b>EXTERIOR</b>														
External Building Conditions(non multiunit)														
Sagging roof	1.6%	2.0%	1.1%	1.8%	4.4%	2.9%	3.5%	9.0%	4.8%	11.4%	2.7%	3.8%	1.2%	2.4%
Missing roofing material	3.3%	-	2.9%	-	5.0%	-	12.9%	9.9%	3.6%	14.3%	7.1%	-	5.0%	3.8%
Hole in roof	1.3%	-	1.1%	-	2.1%	-	1.6%	7.6%	9.7%	11.9%	1.8%	3.4%	3.6%	1.9%
Missing bricks, siding, other outside wall material	2.6%	-	2.4%	-	3.9%	-	3.0%	10.7%	12.3%	-	7.5%	5.0%	1.2%	3.2%
Sloping outside walls	1.5%	1.2%	1.6%	1.0%	1.3%	2.2%	2.9%	5.9%	3.6%	8.4%	1.6%	2.3%	1.2%	1.5%
Boarded up windows	1.1%	-	0.9%	-	2.5%	1.6%	3.1%	4.5%	20.1%	6.1%	3.5%	2.6%	2.1%	1.5%
Broken windows	3.2%	4.2%	3.2%	-	2.9%	6.6%	3.3%	14.1%	20.0%	-	7.9%	-	2.7%	4.8%
Bars on windows	1.3%	2.9%	1.4%	2.7%	0.7%	3.8%	<0.1%	4.2%	<0.1%	7.5%	1.6%	4.8%	6.7%	8.9%
Foundation crumbling or has open crack or hole	3.9%	5.4%	3.5%	5.1%	6.3%	-	7.6%	15.0%	27.7%	18.5%	5.9%	8.4%	8.2%	6.4%
None of the above	84.5%	-	85.6%	-	78.6%	-	83.9%	64.2%	40.1%	50.3%	69.6%	-	74.4%	-
None of the above(excluding bars)	85.6%	-	86.9%	-	79.0%	-	83.9%	66.3%	40.1%	53.3%	70.3%	-	80.0%	-
Water Leakage During Last 12 Months														

<i>Characteristic</i>	<i>Occupied</i>		<i>Owner Occupied</i>		<i>Rental</i>		<i>Severe Problems</i>		<i>Moderate Problems</i>		<i>Below Poverty</i>		<i>Central City</i>	
	<i>MSA</i>	<i>National</i>	<i>MSA</i>	<i>National</i>	<i>MSA</i>	<i>National</i>	<i>MSA</i>	<i>National</i>	<i>MSA</i>	<i>National</i>	<i>MSA</i>	<i>National</i>	<i>MSA</i>	<i>National</i>
With leakage from outside structure	17.9%	11.0%	18.2%	11.5%	17.2%	9.8%	31.9%	17.4%	52.0%	29.4%	18.2%	11.6%	25.7%	11.6%
Roof	6.3%	-	6.5%	-	5.8%	-	7.6%	10.0%	22.3%	16.8%	5.7%	-	9.3%	5.9%
Basement leak	9.0%	2.8%	9.9%	3.4%	7.0%	1.4%	25.6%	2.5%	17.9%	5.1%	7.4%	1.9%	13.9%	2.6%
Walls, closed windows, or doors leak	3.2%	2.2%	2.7%	1.8%	4.2%	3.0%	5.0%	-	13.6%	8.9%	5.4%	2.8%	3.6%	-
Other or Unknown exterior Leak	1.3%	-	0.8%	1.1%	2.3%	1.3%	3.7%	2.9%	5.8%	3.3%	2.3%	1.3%	1.8%	1.4%
<hr/>														
<b>INTERIOR</b>														
<b>Damage</b>														
Holes in floors	0.7%	1.0%	0.5%	-	1.1%	1.6%	1.2%	7.2%	9.8%	-	2.8%	2.1%	0.4%	1.3%
Open cracks or holes	5.6%	-	4.3%	-	8.7%	-	6.0%	18.1%	50.0%	29.9%	9.3%	-	9.3%	6.7%
Broken plaster or peeling paint	4.0%	2.1%	3.2%	1.5%	5.9%	3.1%	16.0%	8.3%	35.4%	18.6%	6.4%	3.4%	6.1%	3.2%
<hr/>														
<b>Water Leakage During Last 12 Months</b>														
With leakage from inside structure	8.0%	-	6.7%	-	10.9%	-	18.6%	-	30.6%	-	9.7%	-	9.3%	-
Fixtures backed up or overflowed	1.9%	-	1.6%	-	2.4%	-	10.7%	4.9%	11.3%	6.6%	2.9%	2.2%	2.1%	-
Pipes leaked	3.1%	-	2.3%	2.9%	4.7%	-	6.6%	8.4%	18.8%	12.5%	4.8%	-	2.6%	4.5%
Broken water heater	0.7%	-	0.7%	-	0.8%	-	<0.1%	1.4%	2.1%	-	0.1%	1.0%	0.2%	0.7%
Other or Unknown	2.6%	-	2.2%	-	3.5%	-	3.7%	-	2.1%	6.0%	2.6%	-	4.4%	2.9%
<hr/>														
<b>Rodents</b>														
Signs of rats in last 3 mon.	0.9%	-	0.6%	-	1.6%	-	1.2%	3.3%	5.7%	3.6%	0.9%	1.8%	1.6%	-
Signs of mice in last 3 mon.	12.1%	-	13.9%	-	7.8%	10.0%	9.0%	17.7%	14.0%	20.0%	9.8%	12.5%	10.4%	-

<i>Characteristic</i>	<i>Occupied</i>		<i>Owner Occupied</i>		<i>Rental</i>		<i>Severe Problems</i>		<i>Moderate Problems</i>		<i>Below Poverty</i>		<i>Central City</i>	
	<i>MSA</i>	<i>National</i>	<i>MSA</i>	<i>National</i>	<i>MSA</i>	<i>National</i>	<i>MSA</i>	<i>National</i>	<i>MSA</i>	<i>National</i>	<i>MSA</i>	<i>National</i>	<i>MSA</i>	<i>National</i>
Signs of rodents, not sure which kind in last 3 mon.	0.6%	-	0.5%	-	0.8%	-	2.1%	1.5%	4.8%	1.6%	1.5%	1.0%	0.1%	0.7%
<hr/>														
<b>Electrical</b>														
No electrical wiring	<0.1%	-	<0.1%	-	<0.1%	0.2%	<0.1%	3.2%	<0.1%	0.1%	<0.1%	0.3%	<0.1%	0.1%
Exposed wiring	1.4%	-	1.1%	-	1.9%	-	<0.1%	6.2%	5.3%	3.9%	1.7%	2.5%	1.4%	-
Rooms without electric outlets	0.7%	-	0.5%	-	1.3%	-	<0.1%	6.5%	5.8%	2.2%	0.8%	1.4%	2.2%	1.0%
Fuses/breakers blown in last 3 mon.	10.2%	-	10.6%	-	9.3%	-	22.7%	14.7%	8.3%	15.1%	8.3%	-	13.5%	9.6%
<hr/>														
<b>Sanitation</b>														
Lacking complete kitchen facilities	1.8%	-	0.4%	-	4.9%	-	17.2%	8.4%	44.3%	-	3.1%	-	3.8%	2.8%
Lacking some or all plumbing facilities	0.9%	1.3%	0.8%	-	0.9%	2.1%	57.3%	-	<0.1%	0.0%	0.8%	2.1%	0.6%	1.8%
Water not safe to drink	6.7%	8.3%	5.4%	-	9.6%	12.3%	13.8%	-	18.3%	-	12.2%	-	7.8%	10.1%
Water stoppage in last 3 mon.	3.4%	-	2.6%	3.5%	5.1%	-	1.1%	8.3%	7.3%	9.4%	5.1%	-	4.7%	-
No flush toilets working some time in last 3 mon.	1.4%	1.9%	1.0%	-	2.2%	3.4%	3.2%	5.7%	5.4%	9.8%	3.2%	-	1.1%	2.5%
With sewage disposal breakdowns in last 3 mon.	2.2%	1.4%	2.0%	1.2%	2.5%	1.7%	11.8%	3.7%	8.7%	5.0%	4.2%	2.0%	2.7%	1.6%
Septic tank, cesspool, chemical toilet	10.6%	19.6%	13.1%	25.7%	5.0%	7.5%	3.7%	15.6%	5.1%	16.1%	8.9%	14.7%	0.1%	1.3%
With septic tank or cesspool breakdowns in last 3 mon.	0.2%	-	0.2%	-	0.1%	-	1.1%	0.8%	1.0%	-	0.4%	-	<0.1%	-
<hr/>														
<b>HEATING/FUEL</b>														
<b>Main Heating Equipment</b>														
Warm-air furnace	80.4%	64.1%	85.0%	67.9%	69.8%	-	72.2%	47.8%	62.3%	39.1%	79.1%	57.3%	61.9%	-
Steam or hot water system	12.8%	-	10.5%	-	18.1%	13.5%	21.6%	-	30.9%	14.0%	12.5%	-	31.3%	15.6%

<i>Characteristic</i>	<i>Occupied</i>		<i>Owner Occupied</i>		<i>Rental</i>		<i>Severe Problems</i>		<i>Moderate Problems</i>		<i>Below Poverty</i>		<i>Central City</i>	
	<i>MSA</i>	<i>National</i>	<i>MSA</i>	<i>National</i>	<i>MSA</i>	<i>National</i>	<i>MSA</i>	<i>National</i>	<i>MSA</i>	<i>National</i>	<i>MSA</i>	<i>National</i>	<i>MSA</i>	<i>National</i>
Electric heat pump	2.3%	11.8%	2.4%	12.9%	2.1%	9.6%	<0.1%	7.1%	<0.1%	4.8%	1.3%	9.7%	0.6%	8.5%
Built-in electric units	2.7%	4.2%	1.2%	2.6%	6.0%	7.4%	3.7%	5.2%	4.0%	5.6%	3.4%	5.9%	2.7%	3.9%
Floor, wall, or other built-in hot air without ducts	0.8%	3.9%	0.3%	2.4%	2.1%	6.9%	1.2%	7.0%	1.0%	5.6%	1.1%	6.7%	2.0%	5.2%
Room heaters with flue	0.3%	0.8%	0.1%	0.7%	0.7%	1.0%	<0.1%	1.1%	<0.1%	1.1%	1.2%	1.4%	<0.1%	0.6%
Room heaters without flue	0.1%	1.0%	0.1%	0.8%	<0.1%	1.2%	<0.1%	2.5%	1.8%	25.2%	<0.1%	2.2%	0.1%	0.7%
Portable electric heaters	0.1%	1.2%	<0.1%	0.9%	0.4%	1.8%	1.3%	3.9%	<0.1%	2.0%	0.1%	3.0%	0.2%	1.4%
Stoves	0.2%	0.9%	0.2%	1.2%	0.1%	0.5%	<0.1%	4.0%	<0.1%	1.0%	<0.1%	1.2%	<0.1%	0.1%
Fireplace with inserts	<0.1%	-	<0.1%	-	<0.1%	<0.1%	<0.1%	0.1%	<0.1%	0.1%	<0.1%	0.1%	<0.1%	<0.1%
Fireplace without inserts	<0.1%	-	<0.1%	0.1%	0.1%	-	<0.1%	0.2%	<0.1%	0.1%	<0.1%	0.1%	0.1%	-
Other	0.3%	-	0.1%	-	0.6%	-	<0.1%	1.1%	<0.1%	0.3%	1.3%	0.7%	1.1%	0.3%
No heating equipment	<0.1%	0.4%	<0.1%	0.3%	<0.1%	0.7%	<0.1%	-	<0.1%	0.7%	<0.1%	0.6%	<0.1%	0.7%
Cooking stove	<0.1%	0.1%	<0.1%	-	<0.1%	0.1%	<0.1%	0.2%	<0.1%	0.3%	<0.1%	0.2%	<0.1%	0.1%
<hr/>														
<b>Water Heating Fuel</b>														
Electricity	24.0%	41.3%	22.2%	39.0%	27.9%	45.7%	13.0%	38.7%	17.2%	39.0%	31.9%	46.9%	12.8%	31.9%
Gas, LP/bottled gas	75.6%	54.3%	77.3%	56.6%	71.8%	49.7%	85.8%	53.8%	81.8%	55.2%	68.0%	49.2%	87.0%	62.8%
Fuel oil	0.2%	4.1%	0.3%	4.0%	<0.1%	4.3%	<0.1%	6.5%	<0.1%	5.1%	<0.1%	3.6%	<0.1%	5.0%
Kerosene or other liquid fuel	<0.1%	-	<0.1%	-	<0.1%	-	<0.1%	<0.1%	<0.1%	0.1%	<0.1%	-	<0.1%	-
Other	0.2%	-	0.1%	0.4%	0.3%	-	1.2%	1.0%	1.0%	0.5%	0.1%	-	0.2%	-
Clothes Dryer,(000)	830	93,052	670	72,397	160	20,655	12	1,139	19	2,344	88	9,825	104	21,908
Have Clothes Dryer	83.3%	-	96.9%	-	52.5%	-	81.2%	54.2%	55.2%	-	66.3%	-	62.8%	-
Electricity	58.1%	78.1%	56.6%	76.4%	64.5%	84.0%	56.5%	78.9%	53.9%	82.5%	64.6%	82.1%	48.3%	74.3%
Gas, LP gas (liquid propane)	41.9%	21.8%	43.4%	23.5%	35.5%	15.8%	43.5%	21.0%	46.1%	17.5%	35.4%	17.8%	51.7%	25.6%
Other	<0.1%	0.1%	<0.1%	-	<0.1%	0.1%	<0.1%	0.1%	<0.1%	<0.1%	<0.1%	0.1%	<0.1%	0.1%
<hr/>														
<b>Heating Problems</b>														

<i>Characteristic</i>	<i>Occupied</i>		<i>Owner Occupied</i>		<i>Rental</i>		<i>Severe Problems</i>		<i>Moderate Problems</i>		<i>Below Poverty</i>		<i>Central City</i>	
	<i>MSA</i>	<i>National</i>	<i>MSA</i>	<i>National</i>	<i>MSA</i>	<i>National</i>	<i>MSA</i>	<i>National</i>	<i>MSA</i>	<i>National</i>	<i>MSA</i>	<i>National</i>	<i>MSA</i>	<i>National</i>
Uncomfortably cold for 24 hours or more last winter	11.7%	9.1%	10.2%	7.7%	15.6%	-	48.2%	-	26.5%	-	17.3%	13.7%	12.8%	10.1%
Heating equipment breakdowns	2.7%	-	2.1%	-	4.2%	3.2%	45.8%	31.2%	6.0%	4.1%	4.8%	-	2.9%	-
Other causes	8.4%	5.9%	8.1%	5.5%	9.0%	6.7%	13.4%	-	16.4%	-	10.1%	8.0%	7.9%	6.0%
Utility interruption	4.5%	1.9%	5.5%	2.3%	2.1%	1.1%	<0.1%	1.5%	1.7%	-	4.0%	1.6%	1.7%	1.1%
Inadequate heating capacity	1.4%	-	0.9%	-	2.3%	-	10.7%	3.9%	0.9%	5.4%	2.6%	-	2.6%	1.7%
Inadequate insulation	1.3%	-	0.9%	-	2.2%	-	12.0%	3.1%	1.5%	5.0%	2.6%	2.0%	2.8%	1.4%
Cost of heating	1.1%	-	0.4%	1.0%	2.6%	1.1%	<0.1%	1.7%	9.3%	2.8%	1.5%	-	3.0%	0.8%
Other	1.0%	1.3%	0.5%	1.2%	2.1%	1.6%	1.4%	3.5%	3.0%	-	2.3%	1.8%	0.7%	1.6%

---

**SELECTED PHYSICAL PROBLEMS**

Severe Physical Problems(,000)	15	2,103	10	907	5	1,196	15	2,103	.	.	3	522	3	909
Severe physical problems	1.5%	1.8%	1.4%	-	1.7%	3.1%	100%	-	.	.	2.4%	3.3%	1.5%	2.7%
Plumbing	0.9%	1.2%	0.8%	-	0.9%	2.1%	57.3%	-	.	.	0.8%	2.1%	0.6%	1.8%
Heating	0.6%	-	0.5%	-	0.8%	-	42.7%	28.6%	.	.	1.6%	1.1%	0.9%	-
Electric	<0.1%	0.1%	<0.1%	0.1%	<0.1%	-	<0.1%	3.1%	.	.	<0.1%	0.1%	<0.1%	-
Hallways	<0.1%	0.0%	<0.1%	0.0%	<0.1%	0.0%	<0.1%	0.0%	.	.	<0.1%	0.0%	<0.1%	0.0%
Upkeep	<0.1%	-	<0.1%	-	0.1%	-	1.2%	2.5%	.	.	0.1%	-	<0.1%	0.1%
Moderate Physical Problems(,000)	34	4,126	9	1,568	25	2,558	.	.	34	4,126	11	1,170	11	1,628
Moderate physical problems	3.4%	-	1.3%	2.1%	8.3%	6.6%	.	.	100%	-	8.1%	-	6.8%	4.9%
Plumbing	0.1%	-	<0.1%	-	0.4%	-	.	.	3.9%	5.2%	0.3%	-	<0.1%	0.3%
Heating	0.1%	0.9%	0.1%	0.8%	<0.1%	1.1%	.	.	1.8%	25.2%	<0.1%	2.1%	0.1%	0.7%
Upkeep	1.5%	-	0.2%	0.5%	4.5%	-	.	.	44.3%	-	3.0%	-	3.6%	2.6%
Hallways	<0.1%	0.0%	<0.1%	0.0%	<0.1%	0.0%	.	.	<0.1%	0.0%	<0.1%	0.0%	<0.1%	0.0%
Kitchen	1.8%	1.0%	0.9%	0.7%	3.7%	1.7%	.	.	52.0%	28.2%	4.8%	2.3%	3.1%	1.6%

---

---

<i>Characteristic</i>	<i>Occupied</i>		<i>Owner Occupied</i>		<i>Rental</i>		<i>Severe Problems</i>		<i>Moderate Problems</i>		<i>Below Poverty</i>		<i>Central City</i>	
	<i>MSA</i>	<i>National</i>	<i>MSA</i>	<i>National</i>	<i>MSA</i>	<i>National</i>	<i>MSA</i>	<i>National</i>	<i>MSA</i>	<i>National</i>	<i>MSA</i>	<i>National</i>	<i>MSA</i>	<i>National</i>
OVERALL OPINION OF STRUCTURE														
1(worst)	0.5%	-	0.2%	-	1.1%	-	2.7%	3.4%	1.3%	3.0%	1.9%	1.5%	0.2%	0.7%
2	0.4%	-	0.2%	-	0.9%	-	<0.1%	1.9%	<0.1%	1.6%	1.3%	0.9%	0.1%	0.5%
3	0.3%	0.7%	0.2%	-	0.5%	1.2%	1.3%	3.5%	0.6%	2.9%	0.3%	1.6%	0.2%	1.0%
4	0.6%	1.0%	0.5%	-	0.7%	1.8%	1.3%	2.7%	1.7%	3.3%	1.2%	1.9%	0.1%	1.2%
5	4.8%	-	3.0%	-	8.9%	-	2.6%	9.6%	16.0%	11.8%	9.8%	-	6.0%	-
6	4.3%	-	2.9%	3.7%	7.8%	-	5.5%	7.1%	8.3%	10.5%	4.5%	6.4%	3.2%	6.2%
7	15.3%	-	12.3%	-	22.0%	-	17.3%	-	30.3%	15.5%	13.2%	-	25.7%	16.1%
8	28.1%	-	28.3%	-	27.8%	-	34.7%	21.2%	18.8%	-	32.4%	24.4%	32.4%	-
9	14.3%	-	16.2%	-	10.0%	12.7%	3.9%	11.1%	9.9%	-	7.4%	11.3%	12.5%	15.0%
10(best)	31.4%	-	36.2%	-	20.5%	-	30.7%	23.0%	13.1%	19.0%	28.0%	-	19.6%	25.2%

---

See <http://nchh.org/Training/HealthyHomesTrainingCenter/AHSDData.aspx> for more info.