

**American Housing Survey - Selected Elements Related to Healthy Homes  
2011 San Francisco, CA and 2011 National**

**National statistic only reported if Metropolitan Statistical Area (MSA) is  $\geq 20\%$ (relative) and 0.25% (absolute) different from national (otherwise "-" is listed).**

Characteristic	Occupied		Owner Occupied		Rental		Severe Problems		Moderate Problems		Below Poverty		Central City		
	MSA	National	MSA	National	MSA	National	MSA	National	MSA	National	MSA	National	MSA	National	
Total Occupied Units(,000)	722	114,907	354	76,091	368	38,816	25	2,103	34	4,126	58	16,060	354	33,161	
<b>GENERAL</b>															
Owner occupied(,000)		76,091		76,091		.		907		1,568		6,166		16,552	
Renter occupied(,000)		38,816		.		38,816		1,196		2,558		9,894		16,609	
Owner occupied		66.2%		100%		<0.1%		43.1%		38.0%		38.4%		49.9%	
Renter occupied		33.8%		<0.1%		100%		56.9%		62.0%		61.6%		50.1%	
<hr/>															
<b>Units in Structure</b>															
1, detached	42.0%	64.2%	70.9%	-	14.1%	28.6%	20.7%	44.3%	4.9%	39.6%	14.8%	42.7%	25.2%	49.3%	
1, attached	7.6%	5.9%	9.8%	5.4%	5.6%	6.8%	2.6%	5.1%	1.3%	3.4%	6.2%	-	8.4%	-	
2 to 4	16.8%	7.8%	10.0%	1.9%	23.4%	-	27.9%	14.8%	28.1%	17.8%	10.1%	13.6%	24.3%	12.9%	
5 to 9	9.3%	4.7%	0.9%	-	17.5%	12.3%	12.0%	6.9%	29.2%	10.3%	16.8%	8.5%	10.2%	7.4%	
10 to 19	8.8%	4.4%	2.6%	0.7%	14.8%	11.6%	5.8%	8.1%	15.3%	7.3%	16.4%	6.9%	9.7%	6.5%	
20 to 49	7.9%	3.2%	3.8%	0.5%	11.8%	8.5%	16.8%	6.5%	9.0%	6.9%	8.9%	5.8%	11.0%	6.1%	
50 or more	7.0%	3.6%	1.4%	1.0%	12.4%	8.8%	14.1%	7.0%	10.4%	7.0%	26.2%	6.1%	11.1%	8.7%	
Manufactured /mobile home or trailer	0.5%	6.3%	0.6%	7.5%	0.4%	3.9%	<0.1%	7.4%	1.8%	7.8%	0.7%	10.3%	<0.1%	1.3%	
<hr/>															
<b>Year Structure Built</b>															
Post-2000	2.6%	13.8%	2.7%	15.6%	2.5%	10.2%	1.0%	5.0%	0.4%	4.4%	3.7%	9.3%	3.8%	10.9%	
Post-1980	13.6%	38.7%	14.0%	42.1%	13.3%	32.2%	11.3%	21.1%	10.8%	22.4%	18.8%	31.1%	14.5%	27.7%	
Pre-1980	86.4%	61.3%	86.0%	57.9%	86.7%	67.8%	88.7%	-	89.2%	-	81.2%	-	85.5%	-	
Pre-1960	57.8%	30.9%	57.6%	29.5%	58.0%	33.4%	59.3%	47.2%	66.5%	45.7%	52.4%	34.6%	70.1%	42.7%	
Pre-1940	28.1%	14.7%	23.1%	12.8%	32.9%	18.5%	42.1%	27.4%	46.6%	24.4%	27.1%	17.2%	49.1%	22.6%	

<i>Characteristic</i>	<i>Occupied</i>		<i>Owner Occupied</i>		<i>Rental</i>		<i>Severe Problems</i>		<i>Moderate Problems</i>		<i>Below Poverty</i>		<i>Central City</i>	
	<i>MSA</i>	<i>National</i>	<i>MSA</i>	<i>National</i>	<i>MSA</i>	<i>National</i>	<i>MSA</i>	<i>National</i>	<i>MSA</i>	<i>National</i>	<i>MSA</i>	<i>National</i>	<i>MSA</i>	<i>National</i>
Foundation (for 1-unit not manufactured)														
1-Unit not manufactured(,000)	358	80,505	286	66,752	72	13,753	6	1,040	2	1,772	12	7,844	119	18,949
With a basement under all of house	13.9%	32.7%	13.6%	34.4%	15.1%	24.0%	<0.1%	32.2%	22.2%	-	13.8%	27.3%	27.1%	-
With a basement under part of house	8.4%	10.6%	8.3%	11.3%	8.9%	-	2.2%	7.9%	18.3%	8.7%	3.5%	7.3%	10.9%	8.1%
With a crawl space	38.2%	22.1%	41.1%	21.4%	27.0%	-	67.0%	24.1%	21.6%	40.2%	19.9%	25.9%	7.1%	20.2%
On a concrete slab	36.6%	-	34.3%	-	45.5%	-	30.7%	-	32.5%	23.7%	59.8%	36.4%	49.4%	38.2%
In some other way	2.9%	1.6%	2.7%	1.4%	3.6%	2.4%	0.1%	6.1%	5.4%	-	3.1%	-	5.5%	1.6%
<hr/>														
<b>EXTERIOR</b>														
External Building Conditions(non multiunit)														
Sagging roof	0.7%	2.0%	0.7%	1.8%	0.8%	2.9%	<0.1%	9.0%	9.0%	11.4%	<0.1%	3.8%	0.4%	2.4%
Missing roofing material	1.0%	3.6%	1.1%	3.4%	0.8%	4.1%	3.7%	9.9%	<0.1%	14.3%	2.9%	5.8%	0.5%	3.8%
Hole in roof	0.6%	1.5%	0.5%	1.3%	0.8%	2.4%	1.9%	7.6%	8.6%	11.9%	<0.1%	3.4%	0.3%	1.9%
Missing bricks, siding, other outside wall material	0.5%	2.5%	0.5%	2.2%	0.6%	3.9%	<0.1%	10.7%	8.8%	14.2%	0.9%	5.0%	0.4%	3.2%
Sloping outside walls	0.7%	1.2%	0.6%	1.0%	1.1%	2.2%	<0.1%	5.9%	18.8%	8.4%	1.8%	2.3%	0.6%	1.5%
Boarded up windows	0.3%	1.0%	0.3%	0.9%	0.4%	1.6%	1.8%	4.5%	<0.1%	6.1%	<0.1%	2.6%	0.5%	1.5%
Broken windows	2.1%	4.2%	2.3%	3.7%	1.2%	6.6%	3.8%	14.1%	13.2%	18.1%	15.7%	8.6%	2.5%	4.8%
Bars on windows	9.8%	2.9%	9.3%	2.7%	11.7%	3.8%	6.7%	4.2%	4.0%	7.5%	8.9%	4.8%	22.9%	8.9%
Foundation crumbling or has open crack or hole	3.8%	5.4%	4.2%	5.1%	1.9%	6.8%	<0.1%	15.0%	22.5%	-	9.4%	-	3.9%	6.4%
None of the above	81.3%	-	81.6%	-	79.8%	-	85.6%	64.2%	49.3%	-	63.4%	-	69.4%	-
None of the above(excluding bars)	90.5%	-	90.4%	-	90.8%	-	92.2%	66.3%	49.3%	-	69.6%	-	90.9%	-
Water Leakage During Last 12 Months														

<i>Characteristic</i>	<i>Occupied</i>		<i>Owner Occupied</i>		<i>Rental</i>		<i>Severe Problems</i>		<i>Moderate Problems</i>		<i>Below Poverty</i>		<i>Central City</i>	
	<i>MSA</i>	<i>National</i>	<i>MSA</i>	<i>National</i>	<i>MSA</i>	<i>National</i>	<i>MSA</i>	<i>National</i>	<i>MSA</i>	<i>National</i>	<i>MSA</i>	<i>National</i>	<i>MSA</i>	<i>National</i>
With leakage from outside structure	7.9%	11.0%	6.6%	11.5%	9.2%	-	6.2%	17.4%	20.7%	29.4%	6.9%	11.6%	9.9%	-
Roof	3.5%	5.7%	3.5%	6.1%	3.4%	4.9%	4.4%	10.0%	5.3%	16.8%	3.8%	6.5%	4.0%	5.9%
Basement leak	0.1%	2.8%	0.3%	3.4%	<0.1%	1.4%	<0.1%	2.5%	0.3%	5.1%	<0.1%	1.9%	0.1%	2.6%
Walls, closed windows, or doors leak	3.0%	2.2%	1.4%	1.8%	4.4%	3.0%	2.3%	4.7%	9.6%	-	1.1%	2.8%	4.4%	2.9%
Other or Unknown exterior Leak	1.4%	-	1.7%	1.1%	1.2%	-	0.4%	2.9%	6.8%	3.3%	2.2%	1.3%	1.8%	1.4%
<hr/>														
<b>INTERIOR</b>														
<b>Damage</b>														
Holes in floors	0.9%	-	0.7%	-	1.1%	1.6%	1.0%	7.2%	3.3%	9.9%	1.8%	-	1.0%	1.3%
Open cracks or holes	4.2%	5.2%	2.3%	4.2%	6.0%	-	10.8%	18.1%	19.9%	29.9%	3.5%	8.6%	5.8%	-
Broken plaster or peeling paint	2.7%	2.1%	1.1%	1.5%	4.2%	3.1%	4.3%	8.3%	14.4%	18.6%	5.9%	3.4%	3.3%	-
<hr/>														
<b>Water Leakage During Last 12 Months</b>														
With leakage from inside structure	6.3%	8.5%	5.0%	7.2%	7.5%	11.2%	7.4%	16.2%	13.9%	25.1%	7.8%	11.0%	6.2%	10.0%
Fixtures backed up or overflowed	2.0%	-	1.4%	1.7%	2.6%	-	1.9%	4.9%	3.9%	6.6%	2.0%	-	1.7%	2.2%
Pipes leaked	2.0%	3.6%	2.1%	2.9%	2.0%	4.9%	3.4%	8.4%	6.8%	12.5%	1.0%	5.1%	2.3%	4.5%
Broken water heater	0.5%	0.8%	0.7%	-	0.3%	0.8%	0.9%	1.4%	0.9%	2.0%	0.5%	1.0%	0.3%	0.7%
Other or Unknown	1.9%	2.4%	0.9%	1.8%	2.8%	3.6%	1.3%	3.2%	3.4%	6.0%	4.4%	3.0%	2.2%	2.9%
<hr/>														
<b>Rodents</b>														
Signs of rats in last 3 mon.	1.9%	1.0%	2.8%	0.9%	1.1%	-	1.0%	3.3%	2.3%	3.6%	1.3%	1.8%	2.0%	1.4%
Signs of mice in last 3 mon.	5.9%	11.1%	6.1%	11.7%	5.6%	10.0%	7.4%	17.7%	13.4%	20.0%	8.2%	12.5%	7.6%	9.9%

<i>Characteristic</i>	<i>Occupied</i>		<i>Owner Occupied</i>		<i>Rental</i>		<i>Severe Problems</i>		<i>Moderate Problems</i>		<i>Below Poverty</i>		<i>Central City</i>	
	<i>MSA</i>	<i>National</i>	<i>MSA</i>	<i>National</i>	<i>MSA</i>	<i>National</i>	<i>MSA</i>	<i>National</i>	<i>MSA</i>	<i>National</i>	<i>MSA</i>	<i>National</i>	<i>MSA</i>	<i>National</i>
Signs of rodents, not sure which kind in last 3 mon.	0.5%	-	0.7%	-	0.4%	0.8%	<0.1%	1.5%	1.1%	1.6%	0.6%	1.0%	0.5%	0.7%
<hr/>														
<b>Electrical</b>														
No electrical wiring	0.1%	-	0.1%	-	0.2%	-	<0.1%	3.2%	0.3%	-	0.4%	-	0.3%	-
Exposed wiring	1.0%	1.6%	0.5%	1.3%	1.5%	2.1%	1.3%	6.2%	6.7%	3.9%	2.2%	-	1.4%	-
Rooms without electric outlets	0.6%	0.8%	0.3%	0.6%	0.8%	1.2%	1.9%	6.5%	1.5%	2.2%	2.0%	1.4%	0.9%	-
Fuses/breakers blown in last 3 mon.	7.0%	9.4%	6.4%	9.4%	7.6%	9.4%	5.6%	14.7%	6.6%	15.1%	6.1%	9.1%	6.6%	9.6%
<hr/>														
<b>Sanitation</b>														
Lacking complete kitchen facilities	4.6%	1.7%	0.5%	-	8.6%	4.0%	24.5%	8.4%	81.7%	44.4%	9.9%	3.3%	8.3%	2.8%
Lacking some or all plumbing facilities	2.3%	1.3%	0.9%	-	3.8%	2.1%	67.0%	-	<0.1%	0.0%	6.0%	2.1%	3.5%	1.8%
Water not safe to drink	7.0%	-	4.8%	6.2%	9.2%	12.3%	19.2%	14.7%	24.6%	14.9%	8.1%	13.1%	5.5%	10.1%
Water stoppage in last 3 mon.	4.6%	-	3.0%	-	6.1%	-	15.8%	8.3%	13.2%	9.4%	5.1%	-	5.2%	4.0%
No flush toilets working some time in last 3 mon.	2.8%	1.9%	1.0%	-	4.5%	3.4%	2.2%	5.7%	6.1%	9.8%	3.4%	-	3.7%	2.5%
With sewage disposal breakdowns in last 3 mon.	1.7%	-	1.2%	-	2.1%	-	1.9%	3.7%	1.2%	5.0%	1.4%	2.0%	1.5%	-
Septic tank, cesspool, chemical toilet	1.0%	19.6%	1.3%	25.7%	0.6%	7.5%	<0.1%	15.6%	2.0%	16.1%	1.5%	14.7%	0.1%	1.3%
With septic tank or cesspool breakdowns in last 3 mon.	<0.1%	0.3%	<0.1%	0.3%	<0.1%	0.2%	<0.1%	0.8%	<0.1%	0.8%	<0.1%	0.4%	<0.1%	-
<hr/>														
<b>HEATING/FUEL</b>														
<b>Main Heating Equipment</b>														
Warm-air furnace	65.7%	-	79.2%	-	52.7%	-	40.2%	-	42.5%	-	43.5%	57.3%	56.1%	-
Steam or hot water system	7.6%	11.0%	4.0%	9.7%	11.0%	13.5%	19.2%	-	6.7%	14.0%	15.3%	10.9%	11.4%	15.6%

<i>Characteristic</i>	<i>Occupied</i>		<i>Owner Occupied</i>		<i>Rental</i>		<i>Severe Problems</i>		<i>Moderate Problems</i>		<i>Below Poverty</i>		<i>Central City</i>	
	<i>MSA</i>	<i>National</i>	<i>MSA</i>	<i>National</i>	<i>MSA</i>	<i>National</i>	<i>MSA</i>	<i>National</i>	<i>MSA</i>	<i>National</i>	<i>MSA</i>	<i>National</i>	<i>MSA</i>	<i>National</i>
Electric heat pump	0.1%	11.8%	0.2%	12.9%	0.1%	9.6%	<0.1%	7.1%	<0.1%	4.8%	<0.1%	9.7%	0.1%	8.5%
Built-in electric units	8.9%	4.2%	3.9%	2.6%	13.8%	7.4%	20.5%	5.2%	14.9%	5.6%	15.5%	5.9%	11.8%	3.9%
Floor, wall, or other built-in hot air without ducts	11.8%	3.9%	8.2%	2.4%	15.2%	6.9%	10.3%	7.0%	13.2%	5.6%	17.2%	6.7%	11.5%	5.2%
Room heaters with flue	2.0%	0.8%	0.9%	-	3.1%	1.0%	0.5%	1.1%	9.4%	1.1%	2.6%	1.4%	3.9%	0.6%
Room heaters without flue	0.1%	1.0%	<0.1%	0.8%	0.2%	1.2%	<0.1%	2.5%	2.9%	25.2%	0.4%	2.2%	0.2%	0.7%
Portable electric heaters	2.0%	1.2%	2.1%	0.9%	1.8%	-	7.6%	3.9%	1.0%	2.0%	4.0%	3.0%	2.8%	1.4%
Stoves	0.2%	0.9%	0.2%	1.2%	0.2%	0.5%	0.4%	4.0%	<0.1%	1.0%	0.2%	1.2%	<0.1%	0.1%
Fireplace with inserts	0.3%	-	0.6%	0.2%	0.1%	-	<0.1%	0.1%	<0.1%	0.1%	<0.1%	0.1%	0.6%	<0.1%
Fireplace without inserts	0.1%	-	0.1%	-	0.1%	-	<0.1%	0.2%	<0.1%	0.1%	<0.1%	0.1%	0.1%	-
Other	0.6%	-	0.4%	-	0.7%	0.4%	0.4%	1.1%	0.8%	0.3%	0.6%	-	0.4%	-
No heating equipment	0.6%	-	0.2%	-	0.9%	0.7%	0.8%	1.1%	8.8%	0.7%	0.7%	-	1.0%	0.7%
Cooking stove	<0.1%	-	<0.1%	<0.1%	<0.1%	-	<0.1%	0.2%	<0.1%	0.3%	<0.1%	0.2%	<0.1%	-
<hr/>														
<b>Water Heating Fuel</b>														
Electricity	14.7%	41.3%	4.7%	39.0%	24.3%	45.7%	24.5%	38.7%	23.4%	39.0%	30.8%	46.9%	17.0%	31.9%
Gas, LP/bottled gas	84.6%	54.3%	95.2%	56.6%	74.4%	49.7%	75.0%	53.8%	76.6%	55.2%	68.8%	49.2%	81.8%	62.8%
Fuel oil	<0.1%	4.1%	<0.1%	4.0%	<0.1%	4.3%	<0.1%	6.5%	<0.1%	5.1%	0.2%	3.6%	<0.1%	5.0%
Kerosene or other liquid fuel	<0.1%	-	<0.1%	-	<0.1%	-	<0.1%	<0.1%	<0.1%	0.1%	<0.1%	-	<0.1%	-
Other	0.7%	0.4%	0.1%	0.4%	1.2%	0.2%	0.5%	1.0%	<0.1%	0.5%	0.2%	-	1.2%	0.2%
Clothes Dryer,(000)	430	93,052	321	72,397	109	20,655	9	1,139	6	2,344	15	9,825	160	21,908
Have Clothes Dryer	59.6%	81.0%	90.6%	-	29.7%	53.2%	33.8%	54.2%	18.1%	56.8%	25.9%	61.2%	45.2%	66.1%
Electricity	56.3%	78.1%	52.2%	76.4%	68.2%	84.0%	67.7%	-	59.6%	82.5%	68.0%	82.1%	49.1%	74.3%
Gas, LP gas (liquid propane)	43.4%	21.8%	47.8%	23.5%	30.5%	15.8%	32.3%	21.0%	40.4%	17.5%	32.0%	17.8%	50.1%	25.6%
Other	0.3%	0.1%	<0.1%	<0.1%	1.3%	0.1%	<0.1%	0.1%	<0.1%	<0.1%	<0.1%	0.1%	0.9%	0.1%

---

**Heating Problems**

<i>Characteristic</i>	<i>Occupied</i>		<i>Owner Occupied</i>		<i>Rental</i>		<i>Severe Problems</i>		<i>Moderate Problems</i>		<i>Below Poverty</i>		<i>Central City</i>	
	<i>MSA</i>	<i>National</i>	<i>MSA</i>	<i>National</i>	<i>MSA</i>	<i>National</i>	<i>MSA</i>	<i>National</i>	<i>MSA</i>	<i>National</i>	<i>MSA</i>	<i>National</i>	<i>MSA</i>	<i>National</i>
Uncomfortably cold for 24 hours or more last winter	10.7%	-	8.6%	-	13.1%	-	43.6%	-	32.3%	22.2%	11.2%	13.7%	11.8%	-
Heating equipment breakdowns	2.4%	-	2.0%	-	2.7%	-	27.8%	-	4.8%	-	1.6%	3.8%	2.2%	3.0%
Other causes	7.0%	-	6.3%	-	7.8%	-	9.3%	-	21.1%	15.4%	7.0%	-	8.2%	6.0%
Utility interruption	0.4%	1.9%	0.9%	2.3%	<0.1%	1.1%	<0.1%	1.5%	<0.1%	1.9%	0.4%	1.6%	<0.1%	1.1%
Inadequate heating capacity	2.2%	1.1%	1.0%	0.7%	3.4%	2.0%	1.2%	3.9%	6.2%	-	1.3%	2.2%	3.0%	1.7%
Inadequate insulation	1.8%	1.1%	1.2%	0.7%	2.4%	1.8%	6.8%	3.1%	2.8%	5.0%	1.1%	2.0%	2.4%	1.4%
Cost of heating	1.5%	1.0%	2.2%	1.0%	0.8%	1.1%	0.4%	1.7%	2.6%	-	1.4%	-	1.4%	0.8%
Other	2.0%	1.3%	1.5%	-	2.5%	1.6%	1.7%	3.5%	11.5%	3.2%	3.9%	1.8%	2.6%	1.6%

---

**SELECTED PHYSICAL PROBLEMS**

Severe Physical Problems(,000)	25	2,103	6	907	20	1,196	25	2,103	.	.	4	522	18	909
Severe physical problems	3.5%	1.8%	1.5%	1.2%	5.4%	3.1%	100%	-	.	.	6.2%	3.3%	5.0%	2.7%
Plumbing	2.3%	1.2%	0.9%	-	3.8%	2.1%	67.0%	-	.	.	6.0%	2.1%	3.5%	1.8%
Heating	0.9%	0.5%	0.7%	0.3%	1.2%	-	26.5%	-	.	.	0.3%	1.1%	1.1%	-
Electric	0.2%	-	<0.1%	0.1%	0.5%	<0.1%	6.6%	3.1%	.	.	0.2%	-	0.5%	<0.1%
Hallways	<0.1%	0.0%	<0.1%	0.0%	<0.1%	0.0%	<0.1%	0.0%	.	.	<0.1%	0.0%	<0.1%	0.0%
Upkeep	<0.1%	-	<0.1%	-	0.1%	-	1.0%	2.5%	.	.	<0.1%	-	0.1%	-
Moderate Physical Problems(,000)	34	4,126	3	1,568	30	2,558	.	.	34	4,126	5	1,170	27	1,628
Moderate physical problems	4.6%	3.6%	0.9%	2.1%	8.3%	6.6%	.	.	100%	-	8.5%	-	7.7%	4.9%
Plumbing	0.2%	-	0.1%	-	0.2%	-	.	.	3.3%	5.2%	0.6%	-	0.2%	-
Heating	0.1%	0.9%	<0.1%	0.8%	0.2%	1.1%	.	.	2.9%	25.2%	0.4%	2.1%	0.2%	0.7%
Upkeep	3.8%	1.6%	0.5%	-	7.0%	3.7%	.	.	81.7%	44.4%	6.4%	2.9%	6.7%	2.6%
Hallways	<0.1%	0.0%	<0.1%	0.0%	<0.1%	0.0%	.	.	<0.1%	0.0%	<0.1%	0.0%	<0.1%	0.0%
Kitchen	0.8%	-	0.3%	0.7%	1.4%	1.7%	.	.	18.1%	28.2%	1.4%	2.3%	1.2%	1.6%

---

---

<i>Characteristic</i>	<i>Occupied</i>		<i>Owner Occupied</i>		<i>Rental</i>		<i>Severe Problems</i>		<i>Moderate Problems</i>		<i>Below Poverty</i>		<i>Central City</i>	
	<i>MSA</i>	<i>National</i>	<i>MSA</i>	<i>National</i>	<i>MSA</i>	<i>National</i>	<i>MSA</i>	<i>National</i>	<i>MSA</i>	<i>National</i>	<i>MSA</i>	<i>National</i>	<i>MSA</i>	<i>National</i>
OVERALL OPINION OF STRUCTURE														
1(worst)	0.4%	-	<0.1%	0.3%	0.9%	-	0.9%	3.4%	0.5%	3.0%	0.9%	1.5%	0.7%	-
2	0.3%	-	0.1%	-	0.4%	-	1.4%	1.9%	0.3%	1.6%	0.7%	-	0.3%	-
3	0.6%	-	0.1%	0.4%	1.1%	-	6.9%	3.5%	0.6%	2.9%	0.7%	1.6%	1.0%	-
4	1.1%	-	0.6%	-	1.6%	-	1.4%	2.7%	6.7%	3.3%	1.8%	-	0.8%	1.2%
5	4.2%	-	2.5%	3.3%	5.7%	7.5%	7.4%	9.6%	3.4%	11.8%	10.9%	8.6%	4.8%	5.8%
6	5.5%	-	2.5%	3.7%	8.3%	-	14.1%	7.1%	24.7%	10.5%	3.0%	6.4%	7.2%	-
7	17.2%	-	13.0%	-	21.3%	-	16.8%	-	29.3%	15.5%	13.4%	-	15.9%	-
8	29.4%	-	29.2%	-	29.5%	-	24.9%	-	20.5%	-	31.3%	24.4%	31.2%	-
9	15.2%	-	16.6%	-	13.8%	-	14.8%	11.1%	4.4%	10.6%	11.3%	-	15.1%	-
10(best)	26.2%	-	35.4%	-	17.4%	21.9%	11.4%	23.0%	9.5%	19.0%	26.1%	-	23.2%	-

---

See <http://nchh.org/Training/HealthyHomesTrainingCenter/AHSDData.aspx> for more info.