

**American Housing Survey - Selected Elements Related to Healthy Homes
Houston, TX in 2007 and 1998**

1998 is only reported if >=5% (relative) and 0.1% (absolute) different from

2007 (otherwise "-" is listed).

| Characteristic | Occupied | | Owner Occupied | | Rental | | Severe Problems | | Moderate Problems | | Below Poverty | | Central City | |
|--------------------------------------|----------|-------|----------------|-------|--------|-------|-----------------|-------|-------------------|-------|---------------|-------|--------------|-------|
| | 2007 | 1998 | 2007 | 1998 | 2007 | 1998 | 2007 | 1998 | 2007 | 1998 | 2007 | 1998 | 2007 | 1998 |
| Total Occupied Units,(000) | 1,872 | 1,386 | 1,242 | 820 | 630 | 567 | 27 | 22 | 136 | 129 | 232 | <1 | 680 | 643 |
| GENERAL | | | | | | | | | | | | | | |
| Owner occupied,(000) | 1,242 | 820 | 1,242 | 820 | . | . | 16 | 7 | 66 | 60 | 86 | . | 323 | 298 |
| Renter occupied,(000) | 630 | 567 | . | . | 630 | 567 | 11 | 16 | 71 | 69 | 146 | . | 357 | 345 |
| Owner occupied | 66.4% | 59.1% | 100% | - | . | . | 59.5% | 29.9% | 48.3% | - | 37.0% | <0.1% | 47.5% | - |
| Renter occupied | 33.6% | 40.9% | . | . | 100% | - | 40.5% | 70.1% | 51.7% | - | 63.0% | <0.1% | 52.5% | - |
| Units in Structure | | | | | | | | | | | | | | |
| 1, detached | 65.5% | - | 88.6% | - | 19.9% | 26.5% | 37.4% | 50.4% | 55.3% | 60.1% | 34.3% | 0.1% | 48.8% | 52.1% |
| 1, attached | 4.6% | 6.6% | 3.0% | - | 8.0% | 13.4% | <0.1% | 1.6% | 2.0% | 5.1% | 6.3% | 0.1% | 9.5% | - |
| 2 to 4 | 2.9% | - | 0.1% | - | 8.3% | 10.0% | <0.1% | 6.4% | 7.4% | 10.2% | 7.6% | 0.1% | 4.1% | 6.8% |
| 5 to 9 | 5.8% | 4.9% | 0.4% | - | 16.5% | 10.8% | 10.0% | 9.5% | 8.2% | 3.5% | 14.5% | 0.1% | 9.5% | 7.5% |
| 10 to 19 | 8.5% | 7.5% | 0.6% | - | 24.1% | 17.7% | 14.5% | 11.1% | 10.9% | 9.3% | 15.2% | 0.1% | 14.9% | 10.1% |
| 20 to 49 | 3.5% | - | <0.1% | - | 10.3% | 7.7% | 6.9% | 4.6% | 5.8% | 1.6% | 4.9% | - | 5.5% | 4.7% |
| 50 or more | 3.1% | - | 0.2% | - | 8.8% | 10.6% | <0.1% | 6.4% | 2.4% | - | 6.0% | 0.1% | 6.3% | 8.1% |
| Manufactured /mobile home or trailer | 6.1% | 4.4% | 7.1% | 5.2% | 4.1% | - | 31.2% | 10.2% | 8.0% | 5.8% | 11.3% | 0.1% | 1.6% | - |
| Year Structure Built | | | | | | | | | | | | | | |
| Post-2000 | 15.8% | <0.1% | 17.9% | <0.1% | 11.9% | <0.1% | 9.7% | <0.1% | 5.1% | <0.1% | 10.7% | 0.1% | 10.2% | <0.1% |
| Post-1980 | 51.5% | 36.7% | 55.2% | 40.1% | 44.1% | 31.9% | 40.5% | 20.0% | 29.1% | 15.8% | 35.6% | 0.1% | 31.4% | 19.1% |
| Pre-1980 | 48.5% | 63.3% | 44.8% | 59.9% | 55.9% | 68.1% | 59.5% | 80.0% | 70.9% | 84.2% | 64.4% | 0.1% | 68.6% | 80.9% |
| Pre-1960 | 15.2% | 19.2% | 15.3% | 20.8% | 15.2% | 16.8% | 17.1% | 31.5% | 37.9% | 39.9% | 22.5% | 0.1% | 24.6% | 28.4% |
| Pre-1940 | 3.4% | - | 3.1% | - | 4.1% | - | 10.0% | 7.8% | 12.5% | 8.2% | 6.4% | 0.1% | 5.8% | - |

| Characteristic | Occupied | | Owner Occupied | | Rental | | Severe Problems | | Moderate Problems | | Below Poverty | | Central City | |
|---|--|-------|----------------|-------|--------|-------|-----------------|-------|-------------------|-------|---------------|------|--------------|-------|
| | 2007 | 1998 | 2007 | 1998 | 2007 | 1998 | 2007 | 1998 | 2007 | 1998 | 2007 | 1998 | 2007 | 1998 |
| | Foundation (for 1-unit not manufactured) | | | | | | | | | | | | | |
| 1-Unit not manufactured(,000) | 1,313 | 983 | 1,138 | 757 | 176 | 226 | 10 | 12 | 78 | 84 | 94 | <1 | 396 | 399 |
| With a basement under all of house | 0.1% | - | 0.2% | - | <0.1% | 0.2% | <0.1% | - | 1.2% | - | <0.1% | - | 0.3% | - |
| With a crawl space | 9.7% | - | 8.7% | 9.6% | 16.1% | 11.9% | 46.5% | 36.6% | 38.0% | 33.7% | 24.3% | 0.1% | 17.0% | 14.4% |
| On a concrete slab | 87.0% | - | 88.2% | - | 79.0% | - | 53.5% | 57.8% | 48.7% | - | 70.9% | 0.1% | 81.0% | - |
| In some other way | 3.0% | - | 2.6% | - | 5.0% | 6.7% | <0.1% | 5.5% | 12.1% | 16.9% | 4.8% | - | 1.4% | 6.8% |
| <hr/> | | | | | | | | | | | | | | |
| EXTERIOR | | | | | | | | | | | | | | |
| External Building Conditions(non multiunit) | | | | | | | | | | | | | | |
| Sagging roof | 2.8% | - | 2.8% | - | 2.5% | - | 10.7% | 27.1% | 12.4% | 10.9% | 7.7% | 0.1% | 3.9% | - |
| Missing roofing material | 6.2% | 4.9% | 5.7% | 4.7% | 9.2% | 5.9% | 9.9% | 19.2% | 9.6% | 11.1% | 10.0% | 0.1% | 9.2% | 5.3% |
| Hole in roof | 1.4% | - | 1.2% | - | 2.3% | - | 5.4% | 26.0% | 7.5% | 10.2% | 5.4% | 0.1% | 2.4% | - |
| Missing bricks, siding, other outside wall material | 3.8% | 5.4% | 3.2% | - | 7.6% | 10.1% | 25.2% | 39.3% | 10.5% | 15.1% | 11.3% | 0.1% | 4.9% | 7.1% |
| Sloping outside walls | 2.3% | - | 2.1% | - | 3.3% | 6.2% | 21.1% | 12.2% | 6.2% | 10.3% | 8.7% | 0.1% | 3.9% | - |
| Boarded up windows | 2.0% | - | 2.0% | - | 2.5% | - | 13.0% | 19.1% | 10.2% | 5.4% | 4.3% | - | 2.4% | - |
| Broken windows | 5.3% | 6.7% | 4.7% | 5.4% | 8.6% | 10.9% | 27.9% | 34.1% | 14.4% | 20.9% | 12.2% | 0.1% | 4.5% | 7.5% |
| Bars on windows | 8.0% | 11.3% | 8.4% | 11.7% | 5.5% | 10.0% | 5.3% | 10.3% | 10.6% | 15.9% | 12.0% | 0.1% | 15.8% | 21.1% |
| Foundation crumbling or has open crack or hole | 3.8% | - | 3.9% | - | 3.4% | 5.4% | 25.0% | 15.9% | 13.2% | 9.2% | 8.6% | 0.1% | 6.0% | - |
| None of the above | 75.3% | 70.6% | 76.1% | 71.9% | 70.4% | 66.3% | 30.7% | 44.0% | 55.1% | 46.9% | 55.7% | 0.1% | 67.6% | 60.4% |
| None of the above(excluding bars) | 80.5% | - | 81.6% | - | 73.8% | - | 30.7% | 49.0% | 62.4% | 55.2% | 65.9% | 0.1% | 78.5% | - |
| Water Leakage During Last 12 Months | | | | | | | | | | | | | | |

| <i>Characteristic</i> | <i>Occupied</i> | | <i>Owner Occupied</i> | | <i>Rental</i> | | <i>Severe Problems</i> | | <i>Moderate Problems</i> | | <i>Below Poverty</i> | | <i>Central City</i> | |
|--------------------------------------|-----------------|-------------|-----------------------|-------------|---------------|-------------|------------------------|-------------|--------------------------|-------------|----------------------|-------------|---------------------|-------------|
| | <i>2007</i> | <i>1998</i> | <i>2007</i> | <i>1998</i> | <i>2007</i> | <i>1998</i> | <i>2007</i> | <i>1998</i> | <i>2007</i> | <i>1998</i> | <i>2007</i> | <i>1998</i> | <i>2007</i> | <i>1998</i> |
| With leakage from outside structure | 8.2% | 12.8% | 7.4% | 12.7% | 9.7% | 12.9% | 16.4% | 38.1% | 22.6% | 29.4% | 13.0% | 0.1% | 9.5% | 12.9% |
| Roof | 5.2% | 9.3% | 5.2% | 9.5% | 5.4% | 8.8% | 16.4% | 30.2% | 18.5% | 24.3% | 8.6% | 0.1% | 6.0% | 8.9% |
| Basement leak | 0.1% | - | 0.1% | - | <0.1% | - | <0.1% | - | <0.1% | - | <0.1% | - | <0.1% | - |
| Walls, closed windows, or doors leak | 2.3% | - | 2.1% | - | 2.9% | - | 3.9% | 19.6% | 4.5% | 10.4% | 4.1% | - | 2.4% | - |
| Other or Unknown exterior Leak | 0.9% | - | 0.4% | - | 1.9% | - | <0.1% | - | 2.5% | - | 0.9% | - | 1.5% | - |
| <hr/> | | | | | | | | | | | | | | |
| INTERIOR | | | | | | | | | | | | | | |
| Damage | | | | | | | | | | | | | | |
| Holes in floors | 0.9% | - | 0.9% | - | 1.1% | - | 10.5% | 15.9% | 4.2% | 7.8% | 3.1% | - | 1.5% | - |
| Open cracks or holes | 6.9% | 8.7% | 6.7% | 8.2% | 7.3% | 9.5% | 35.4% | 30.1% | 27.1% | - | 11.8% | 0.1% | 8.5% | 9.4% |
| Broken plaster or peeling paint | 2.6% | - | 2.2% | - | 3.3% | - | 13.8% | 23.7% | 14.9% | 16.2% | 3.4% | - | 3.6% | - |
| <hr/> | | | | | | | | | | | | | | |
| Water Leakage During Last 12 Months | | | | | | | | | | | | | | |
| With leakage from inside structure | 8.1% | 14.5% | 6.7% | 13.2% | 11.0% | 16.4% | 20.3% | 32.3% | 18.3% | 30.0% | 12.9% | 0.1% | 9.1% | 12.9% |
| Fixtures backed up or overflowed | 2.0% | 6.8% | 1.8% | 6.0% | 2.5% | 7.9% | 11.4% | 15.2% | 6.3% | 15.3% | 2.9% | - | 2.5% | 6.8% |
| Pipes leaked | 3.6% | 6.4% | 2.7% | 5.5% | 5.4% | 7.6% | 14.4% | 19.9% | 9.4% | 16.0% | 7.6% | 0.1% | 4.2% | 5.2% |
| Broken water heater | 0.5% | - | 0.6% | - | 0.3% | - | <0.1% | 2.4% | 0.9% | - | <0.1% | - | 0.3% | - |
| Other or Unknown | 2.8% | - | 2.0% | - | 4.4% | - | <0.1% | 10.1% | 7.9% | 6.5% | 4.5% | - | 3.4% | - |
| <hr/> | | | | | | | | | | | | | | |
| Rodents | | | | | | | | | | | | | | |
| Signs of rats in last 3 mon. | 1.3% | - | 1.2% | - | 1.4% | - | 3.7% | 21.7% | 6.7% | 11.6% | 2.0% | - | 2.0% | - |
| Signs of mice in last 3 mon. | 2.9% | 5.0% | 2.7% | - | 3.1% | 6.2% | 7.0% | 18.2% | 10.2% | 15.3% | 4.1% | - | 3.6% | 6.2% |

| <i>Characteristic</i> | <i>Occupied</i> | | <i>Owner Occupied</i> | | <i>Rental</i> | | <i>Severe Problems</i> | | <i>Moderate Problems</i> | | <i>Below Poverty</i> | | <i>Central City</i> | |
|--|-----------------|-------------|-----------------------|-------------|---------------|-------------|------------------------|-------------|--------------------------|-------------|----------------------|-------------|---------------------|-------------|
| | <i>2007</i> | <i>1998</i> | <i>2007</i> | <i>1998</i> | <i>2007</i> | <i>1998</i> | <i>2007</i> | <i>1998</i> | <i>2007</i> | <i>1998</i> | <i>2007</i> | <i>1998</i> | <i>2007</i> | <i>1998</i> |
| Signs of rodents, not sure which kind in last 3 mon. | 0.5% | - | 0.5% | - | 0.6% | - | <0.1% | - | <0.1% | 1.8% | <0.1% | - | 0.9% | - |
| <hr/> | | | | | | | | | | | | | | |
| Electrical | | | | | | | | | | | | | | |
| No electrical wiring | <0.1% | - | <0.1% | - | <0.1% | - | <0.1% | - | <0.1% | - | <0.1% | - | <0.1% | - |
| Exposed wiring | 0.9% | - | 0.7% | - | 1.3% | - | <0.1% | 4.5% | 2.5% | - | 1.1% | - | 0.8% | - |
| Rooms without electric outlets | 1.2% | - | 1.4% | - | 0.9% | - | 6.2% | - | 2.6% | - | 2.6% | - | 0.9% | - |
| Fuses/breakers blown in last 3 mon. | 9.8% | 29.9% | 11.0% | 37.4% | 7.3% | 19.0% | 15.0% | 39.5% | 15.5% | 34.1% | 6.8% | 0.1% | 7.9% | 25.0% |
| <hr/> | | | | | | | | | | | | | | |
| Sanitation | | | | | | | | | | | | | | |
| Lacking complete kitchen facilities | 2.5% | - | 0.9% | - | 5.6% | 4.3% | 3.6% | - | 33.4% | 25.5% | 3.7% | - | 3.3% | - |
| Lacking some or all plumbing facilities | 1.0% | - | 0.9% | - | 1.2% | - | 69.6% | 51.8% | <0.1% | 0.3% | 2.6% | - | 0.9% | - |
| Water not safe to drink | 17.1% | 22.8% | 15.4% | 18.1% | 20.6% | 29.5% | 47.7% | - | 24.9% | 31.8% | 24.9% | 0.1% | 19.8% | 28.5% |
| Water stoppage in last 3 mon. | 4.6% | 9.3% | 3.5% | 7.3% | 6.7% | 12.3% | 3.4% | 14.3% | 10.0% | 11.1% | 9.9% | 0.1% | 4.8% | 10.7% |
| No flush toilets working some time in last 3 mon. | 3.1% | 5.6% | 2.0% | - | 5.4% | 9.3% | 15.5% | 28.5% | 13.7% | 15.0% | 10.3% | 0.1% | 4.6% | 6.6% |
| With sewage disposal breakdowns in last 3 mon. | 2.1% | - | 1.6% | - | 3.0% | - | 3.4% | 11.0% | 4.1% | 9.6% | 4.1% | - | 2.6% | - |
| Septic tank, cesspool, chemical toilet | 7.6% | 6.4% | 9.8% | 8.8% | 3.2% | - | 12.4% | 9.5% | 12.8% | 8.1% | 6.1% | 0.1% | 0.4% | - |
| With septic tank or cesspool breakdowns in last 3 mon. | 0.1% | - | 0.1% | - | <0.1% | - | <0.1% | - | <0.1% | 0.5% | <0.1% | - | <0.1% | - |
| <hr/> | | | | | | | | | | | | | | |
| HEATING/FUEL | | | | | | | | | | | | | | |
| Main Heating Equipment | | | | | | | | | | | | | | |
| Warm-air furnace | 82.3% | - | 85.4% | - | 76.3% | 72.0% | 57.8% | 65.5% | 44.7% | - | 66.3% | 0.1% | 79.4% | 73.5% |
| Steam or hot water system | <0.1% | - | 0.1% | - | <0.1% | 0.3% | <0.1% | - | <0.1% | - | <0.1% | - | 0.1% | - |

| <i>Characteristic</i> | <i>Occupied</i> | | <i>Owner Occupied</i> | | <i>Rental</i> | | <i>Severe Problems</i> | | <i>Moderate Problems</i> | | <i>Below Poverty</i> | | <i>Central City</i> | |
|--|-----------------|-------------|-----------------------|-------------|---------------|-------------|------------------------|-------------|--------------------------|-------------|----------------------|-------------|---------------------|-------------|
| | <i>2007</i> | <i>1998</i> | <i>2007</i> | <i>1998</i> | <i>2007</i> | <i>1998</i> | <i>2007</i> | <i>1998</i> | <i>2007</i> | <i>1998</i> | <i>2007</i> | <i>1998</i> | <i>2007</i> | <i>1998</i> |
| | | | | | | | | | | | | | | |
| Electric heat pump | 7.6% | 9.7% | 5.3% | 6.1% | 12.1% | 14.9% | <0.1% | 12.5% | 6.1% | 3.2% | 8.3% | 0.1% | 7.9% | 10.8% |
| Built-in electric units | 0.4% | - | 0.1% | - | 0.8% | - | <0.1% | - | 0.3% | - | 0.8% | - | 0.3% | - |
| Floor, wall, or other built-in hot air without ducts | 1.8% | - | 1.4% | - | 2.6% | - | 3.6% | - | 2.0% | - | 4.6% | - | 3.7% | - |
| Room heaters with flue | 0.6% | - | 0.6% | - | 0.7% | - | <0.1% | 6.2% | <0.1% | 1.3% | 2.5% | - | 1.2% | - |
| Room heaters without flue | 3.4% | - | 3.5% | - | 3.3% | 5.4% | 13.6% | 9.7% | 44.2% | 47.8% | 7.4% | 0.1% | 3.9% | 6.5% |
| Portable electric heaters | 2.6% | - | 2.6% | - | 2.6% | - | 15.5% | 3.2% | 2.1% | - | 8.1% | 0.1% | 2.6% | - |
| Stoves | 0.1% | - | 0.1% | - | <0.1% | - | <0.1% | - | <0.1% | - | 0.5% | - | <0.1% | - |
| Fireplace without inserts | <0.1% | - | <0.1% | - | <0.1% | - | <0.1% | - | <0.1% | - | <0.1% | - | <0.1% | - |
| Other | 0.8% | - | 0.7% | - | 1.1% | - | <0.1% | - | 0.7% | - | 1.6% | - | 0.6% | - |
| No heating equipment | 0.2% | - | 0.2% | - | 0.1% | - | 9.5% | 0.1% | <0.1% | 0.5% | <0.1% | - | 0.1% | - |
| Cooking stove | 0.1% | - | 0.1% | - | 0.2% | - | <0.1% | - | <0.1% | 1.0% | <0.1% | - | 0.1% | - |
| <hr/> | | | | | | | | | | | | | | |
| Water Heating Fuel | | | | | | | | | | | | | | |
| Electricity | 40.5% | - | 26.7% | 24.3% | 67.8% | 59.7% | 56.1% | 52.6% | 41.6% | 31.8% | 55.5% | 0.1% | 44.2% | 39.3% |
| Gas, LP/bottled gas | 59.4% | - | 73.3% | - | 32.2% | 39.6% | 43.9% | 47.4% | 58.4% | 67.4% | 44.5% | 0.1% | 55.8% | 59.5% |
| Fuel oil | <0.1% | - | <0.1% | - | <0.1% | - | <0.1% | - | <0.1% | - | <0.1% | - | <0.1% | - |
| Kerosene or other liquid fuel | <0.1% | - | <0.1% | - | <0.1% | - | <0.1% | - | <0.1% | - | <0.1% | - | <0.1% | - |
| Other | 0.1% | - | 0.1% | - | <0.1% | 0.6% | <0.1% | - | <0.1% | 0.5% | <0.1% | - | <0.1% | 1.2% |
| <hr/> | | | | | | | | | | | | | | |
| Clothes Dryer(,000) | 1,504 | 975 | 1,177 | 740 | 327 | 235 | 21 | 10 | 78 | 61 | 115 | <1 | 460 | 362 |
| Have Clothes Dryer | 80.4% | 70.3% | 94.7% | - | 52.0% | 41.5% | 76.3% | 44.0% | 57.2% | 47.5% | 49.6% | 0.1% | 67.7% | 56.3% |
| Electricity | 73.1% | - | 68.8% | - | 88.4% | - | 77.4% | - | 74.7% | 67.5% | 81.3% | 0.1% | 73.1% | 68.6% |
| Gas, LP gas (liquid propane) | 26.9% | 28.7% | 31.2% | 34.3% | 11.6% | - | 22.6% | - | 25.3% | 31.9% | 18.7% | 0.1% | 26.9% | 31.2% |
| Other | <0.1% | - | <0.1% | - | <0.1% | - | <0.1% | - | <0.1% | - | <0.1% | - | <0.1% | - |
| <hr/> | | | | | | | | | | | | | | |
| Heating Problems | | | | | | | | | | | | | | |

| Characteristic | Occupied | | Owner Occupied | | Rental | | Severe Problems | | Moderate Problems | | Below Poverty | | Central City | |
|---|----------|------|----------------|------|--------|-------|-----------------|-------|-------------------|-------|---------------|-------|--------------|-------|
| | 2007 | 1998 | 2007 | 1998 | 2007 | 1998 | 2007 | 1998 | 2007 | 1998 | 2007 | 1998 | 2007 | 1998 |
| Uncomfortably cold for 24 hours or more last winter | 4.8% | 7.6% | 4.8% | 6.9% | 4.7% | 8.8% | 43.2% | 58.0% | 13.0% | 14.2% | 8.5% | 0.1% | 4.3% | 6.5% |
| Heating equipment breakdowns | 1.9% | - | 1.8% | - | 1.9% | - | 27.0% | 37.8% | 2.7% | - | 1.2% | - | 1.9% | - |
| Other causes | 2.4% | - | 2.8% | - | 1.7% | - | 15.5% | 17.4% | 7.7% | 10.4% | 6.4% | 0.1% | 2.0% | - |
| Utility interruption | 0.2% | - | 0.2% | - | 0.4% | - | <0.1% | - | <0.1% | 2.1% | 0.6% | - | 0.3% | - |
| Inadequate heating capacity | 1.0% | - | 1.3% | - | 0.3% | - | 12.5% | 11.6% | 3.9% | - | 2.3% | - | 0.7% | - |
| Inadequate insulation | 0.6% | - | 0.6% | - | 0.6% | - | 7.7% | 9.1% | 4.4% | - | 2.5% | - | 0.4% | - |
| Cost of heating | 0.4% | - | 0.5% | - | 0.1% | - | <0.1% | - | 0.7% | - | <0.1% | - | 0.3% | - |
| Other | 0.6% | - | 0.6% | - | 0.4% | - | <0.1% | 7.1% | 1.4% | - | 2.2% | - | 0.6% | - |
| SELECTED PHYSICAL PROBLEMS | | | | | | | | | | | | | | |
| Severe Physical Problems(,000) | 27 | 22 | 16 | 7 | 11 | 16 | 27 | 22 | . | . | 7 | . | 11 | 12 |
| Severe physical problems | 1.4% | - | 1.3% | - | 1.7% | - | 100% | - | . | . | 3.0% | <0.1% | 1.6% | - |
| Plumbing | 1.0% | - | 0.9% | - | 1.2% | - | 69.6% | 50.2% | . | . | 2.6% | <0.1% | 0.9% | - |
| Heating | 0.4% | - | 0.4% | - | 0.4% | - | 27.0% | 37.8% | . | . | 0.8% | <0.1% | 0.6% | - |
| Electric | <0.1% | - | <0.1% | - | <0.1% | - | <0.1% | - | . | . | <0.1% | <0.1% | <0.1% | - |
| Hallways | <0.1% | - | <0.1% | - | <0.1% | - | <0.1% | - | . | . | <0.1% | <0.1% | <0.1% | - |
| Upkeep | 0.2% | - | 0.2% | - | 0.1% | - | 10.5% | 16.7% | . | . | 0.4% | <0.1% | 0.4% | - |
| Moderate Physical Problems(,000) | 136 | 129 | 66 | 60 | 71 | 69 | . | . | 136 | 129 | 35 | . | 64 | 78 |
| Moderate physical problems | 7.3% | 9.3% | 5.3% | 7.3% | 11.2% | 12.2% | . | . | 100% | - | 15.0% | <0.1% | 9.4% | 12.1% |
| Plumbing | 0.4% | - | 0.3% | - | 0.6% | - | . | . | 5.4% | 6.7% | 1.6% | <0.1% | 0.5% | - |
| Heating | 3.2% | - | 3.2% | - | 3.2% | 5.1% | . | . | 44.2% | 47.8% | 6.6% | <0.1% | 3.6% | 6.4% |
| Upkeep | 2.4% | - | 0.8% | - | 5.6% | 4.1% | . | . | 33.4% | 25.5% | 3.7% | <0.1% | 3.2% | - |
| Hallways | <0.1% | - | <0.1% | - | <0.1% | 0.2% | . | . | <0.1% | 1.1% | <0.1% | <0.1% | <0.1% | 0.2% |
| Kitchen | 1.5% | - | 1.0% | - | 2.4% | - | . | . | 20.4% | 27.1% | 4.0% | <0.1% | 2.6% | - |

| Characteristic | Occupied | | Owner Occupied | | Rental | | Severe Problems | | Moderate Problems | | Below Poverty | | Central City | |
|----------------|-------------------------------------|-------|----------------|-------|--------|-------|-----------------|-------|-------------------|-------|---------------|------|--------------|-------|
| | 2007 | 1998 | 2007 | 1998 | 2007 | 1998 | 2007 | 1998 | 2007 | 1998 | 2007 | 1998 | 2007 | 1998 |
| | OVERALL OPINION OF STRUCTURE | | | | | | | | | | | | | |
| 1(worst) | 0.6% | - | 0.1% | - | 1.5% | - | 3.5% | 13.0% | 2.0% | - | 2.0% | - | 1.3% | - |
| 2 | 0.4% | - | 0.1% | - | 1.1% | - | <0.1% | 5.9% | 1.4% | - | 2.2% | - | 0.9% | - |
| 3 | 0.9% | - | 0.2% | - | 2.2% | - | <0.1% | 8.2% | 2.1% | - | 0.4% | - | 1.1% | - |
| 4 | 1.6% | - | 1.3% | - | 2.4% | - | 12.4% | 5.9% | 3.6% | - | 4.7% | - | 2.3% | - |
| 5 | 6.3% | 8.8% | 5.0% | 5.9% | 8.8% | 12.9% | 3.3% | 11.2% | 20.5% | 16.6% | 8.6% | 0.1% | 7.3% | 11.3% |
| 6 | 6.1% | 7.5% | 4.8% | 5.1% | 8.9% | 10.9% | 10.7% | 11.4% | 4.3% | 11.5% | 8.7% | 0.1% | 8.2% | - |
| 7 | 15.4% | 17.2% | 12.9% | 15.1% | 20.4% | - | 22.9% | 13.2% | 17.2% | 15.2% | 17.1% | 0.1% | 17.6% | - |
| 8 | 29.9% | 27.1% | 30.6% | 28.6% | 28.5% | 25.1% | 10.7% | 14.6% | 20.3% | 16.8% | 24.5% | 0.1% | 29.8% | 25.5% |
| 9 | 16.0% | 11.9% | 19.3% | 14.0% | 9.5% | 8.8% | 13.7% | 3.3% | 12.8% | 10.6% | 6.8% | 0.1% | 13.0% | 10.7% |
| 10(best) | 22.7% | - | 25.7% | 28.9% | 16.8% | 14.7% | 22.6% | 13.2% | 15.9% | 17.9% | 24.9% | 0.1% | 18.5% | 20.8% |

See <http://nchh.org/Training/HealthyHomesTrainingCenter/AHSDData.aspx> for more info.